

# Export price list Tarifa nacional

# 20 25

## **FEBRUARY 1<sup>st</sup>**

Recommended price list without VAT.

\* This price list supersedes previous ones and includes new models and technical modifications.

## **1 FEBRERO**

Precios recomendados venta público sin IVA.

\* Esta tarifa anula las anteriores e incluye nuevos modelos y modificaciones técnicas.

Due to constant changes in LED technology, please check our web for current product specifications.

Lumens on LED's indicate the lumen output without diffuser.

Debido a los constantes cambios en la tecnología LED, por favor visite nuestra web para conocer las especificaciones actuales.

Los lúmenes indicados son de salida sin difusor

[www.estiluz.com](http://www.estiluz.com)

**estiluz**®

## ALPHABETIC INDEX / ÍNDICE ALFABÉTICO

|                |    |                                    |    |
|----------------|----|------------------------------------|----|
| <b>A</b>       |    | <b>M</b>                           |    |
| Alfi .....     | 05 | Maine .....                        | 43 |
| Arco .....     | 08 | Mood .....                         | 44 |
| Aro .....      | 10 | Morse .....                        | 48 |
| <b>B</b>       |    | <b>N</b>                           |    |
| Balloon .....  | 11 | Nit .....                          | 49 |
| Belt .....     | 11 | <b>O</b>                           |    |
| Bols .....     | 20 | Obs .....                          | 49 |
| <b>C</b>       |    | <b>P</b>                           |    |
| Canut .....    | 22 | Pluma .....                        | 49 |
| Circ .....     | 22 | <b>R</b>                           |    |
| Compass .....  | 29 | Revolta .....                      | 49 |
| Cupolina ..... | 33 | <b>S</b>                           |    |
| Cyls .....     | 34 | Shapes .....                       | 54 |
| <b>E</b>       |    | <b>T</b>                           |    |
| Eclipsi .....  | 35 | Tik .....                          | 55 |
| <b>F</b>       |    | <b>V</b>                           |    |
| Flow .....     | 36 | Volta .....                        | 56 |
| Frame .....    | 37 | <b>General terms of sale</b> ..... | 63 |
| <b>G</b>       |    |                                    |    |
| Gada .....     | 39 |                                    |    |
| <b>I</b>       |    |                                    |    |
| Icons .....    | 40 |                                    |    |
| <b>L</b>       |    |                                    |    |
| Laverd .....   | 40 |                                    |    |
| Loop .....     | 42 |                                    |    |
| Lune .....     | 43 |                                    |    |

## FINISHES / ACABADOS

|    |                                                          |
|----|----------------------------------------------------------|
| 20 | Metallic Gold, RAL 1036 / Oro mate, RAL 1036             |
| 26 | Black matt, RAL 9005 / Negro mate, RAL 9005              |
| 37 | Brushed nickel / Níquel                                  |
| 45 | Metallic Copper / Cobre mate                             |
| 55 | Beige, RAL 1019 / Beige, RAL 1019                        |
| 59 | Terracotta NCS S 4030-Y80R / Terracota NCS S 4030-Y80R   |
| 61 | 24 carat satin gold / Oro 24 q. Satinado                 |
| 74 | White satin, RAL 9002 / Blanco lacado satinado, RAL 9002 |
| 78 | Oxide Red, RAL 3009 / Rojo óxido, RAL 3009               |
| 87 | Bronze NCS S 8005-Y20R / Bronce NCS S 8005-Y20R          |
| 88 | Grey Stone, RAL 7039 / Piedra gris, RAL 7039             |
| 89 | Pale Green, RAL 7033 / Verde pálido, RAL 7033            |
| 91 | Nude NCS S 0804-Y90R / Rosa pálido NCS S 5010-Y90R       |
| 93 | Grey-limestone, RAL 7013 / Gris pardo, RAL 7013          |
| 94 | Champagne RAL 1035 / Champán RAL 1035                    |
| 96 | Anthracite RAL 7021 / Antracita RAL 7021                 |
| XX | Code according to colour / Código según color            |

## SHADES / PANTALLAS

|    |                                                       |
|----|-------------------------------------------------------|
| 26 | Black screen / Screen negro                           |
| 27 | White screen / Screen blanco                          |
| 50 | Marble textured vinyl / Vinilo texturizado Mármol     |
| 51 | Concrete textured vinyl / Vinilo texturizado Hormigón |
| 52 | Wood textured vinyl / Vinilo texturizado Madera       |
| 64 | Black acrylic, glossy / Metacrilato negro brillante   |

## ACCESSORIES / ACCESORIOS

|    |                                               |
|----|-----------------------------------------------|
| 00 | Incoloro / Colourless                         |
| 23 | Smoked Grey / Gris fumé                       |
| 26 | Black matt, RAL 9005 / Negro mate, RAL 9005   |
| 55 | Beige, RAL 1019 / Beige, RAL 1019             |
| 65 | Smoked Bronze / Bronce fumé                   |
| 74 | White satin, RAL 9002 / Blanco sat., RAL 9002 |
| 75 | Beige / Beige                                 |
| 90 | Grey / Gris                                   |
| 95 | Green / Verde                                 |
| 97 | Light grey / Gris claro                       |

## ABBREVIATIONS / ABREVIATURAS

|   |                                   |
|---|-----------------------------------|
| A | Wall light / Aplique              |
| M | Table lamp / Lámpara de sobremesa |
| P | Floor lamp / Lámpara de pie       |
| p | Reading lamp / Pie de lectura     |
| T | Suspension lamp / Suspensión      |
| t | Ceiling light / Plafón            |

## SYMBOLS / SÍMBOLOS

|           |                                          |
|-----------|------------------------------------------|
| *         | Bulbs included / Bombillas incluidas     |
| ■ ■ ■ ■ ■ | Dimmer on the lamp / Regulador integrado |
| ⊕         | Secondary bulb / Bombilla secundaria     |

We can customize our products in any ESTILUZ finish.  
Check availability.

Podemos personalizar nuestros productos en cualquier  
acabado ESTILUZ. Compruebe la disponibilidad

## CONFIGURATOR FOR SUSPENSIONS CLUSTERS

### Create / Visualize / Share

Crea / Visualiza / Comparte

#### 1. Create / Crea

- **Create your own design**
- **Combine shapes, heights, finishes and colors**
- **Collections: Belt, Volta, Revolta, Loop, Flow, Alfi**
- Crea tu propio diseño
- Combina formas, alturas, acabados y colores
- Colecciones: Belt, Volta, Revolta, Loop, Flow, Alfi

#### 2. Visualize / Visualiza

- **Visualize it in 3D or Augmented Reality (AR)**
- **Preview your design in a virtual room or place it in your real space using your mobile device.**
- Visualízalo en 3D o Realidad Aumentada (AR)
- Explora tu diseño en una habitación virtual o en tu espacio real desde tu móvil o tablet.

#### 3. Share / Comparte

- **Save, download and share.**
- **Generate a technical PDF, request a quote and share it with your team.**
- Guarda, descarga y comparte.
- Genera un PDF técnico, solicita presupuesto y compártelo con tu equipo.

**Start now at / Empieza ahora en**

**<https://configurator.estiluz.com>**

**Scan the QR code to access to the configurator**

Escanea el código QR para acceder al configurador




**Explore without limits. Create without barriers. Shape the light with Estiluz.**

Explora sin límites. Crea sin barreras. Dale forma a la luz con Estiluz.

## ALFI

## ALF\_3740S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI  
350mA) / 100V -240V / Typ 350 lumens  
Driver included / Non dimmable

## FINISHES / ACABADOS

26 BLACK  
20 METALLIC GOLD

## EURO €

217  
223


## Other dimming options

TRIAC Driver (remote) 671000076  
CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

## EURO €

20  
95  
52

## ALF\_3740R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI  
350mA) / 230V / Typ 350 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLACK  
20 METALLIC GOLD

## EURO €

214  
221

Ø40 mm drill on dry wall   
Orificio Ø40 mm en pared de pladur

## Other dimming options


CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

## EURO €

95  
52

## ALFI

## ALF\_3740AS - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI  
350mA) / 100V -240V / Typ 350 lumens  
Driver included / Non dimmable

## FINISHES / ACABADOS

26 BLACK  
20 METALLIC GOLD

## EURO €

255  
268


## Other dimming options

TRIAC Driver (remote) 671000076  
CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

## EURO €

20  
95  
52

## ALF\_3740AR - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI  
350mA) / 230V / Typ 350 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLACK  
20 METALLIC GOLD

## EURO €

252  
266


Ø40 mm drill on dry wall   
Orificio Ø40 mm en pared de pladur

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

## EURO €

95  
52

**ALFI**
**ALF\_3740A1S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI  
350mA) / 100V -240V / Typ 350 lumens  
Driver included / Non dimmable

**FINISHES / ACABADOS**

|                  |     |
|------------------|-----|
| 26 BLACK         | 255 |
| 20 METALLIC GOLD | 268 |

**EURO €**
**Other dimming options**


TRIAC Driver (remote) 671000076  
CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

20

95

52

**ALF\_3740A1R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI  
350mA) / 230V / Typ 350 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

|                  |     |
|------------------|-----|
| 26 BLACK         | 252 |
| 20 METALLIC GOLD | 266 |

**EURO €**

Ø40 mm drill on dry wall  
Orificio Ø40 mm en pared de pladur


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95

52

**ALFI**
**ALF\_3741R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI  
350mA) / 230V / Typ 350 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

|                  |     |
|------------------|-----|
| 26 BLACK         | 363 |
| 20 METALLIC GOLD | 375 |

**EURO €**

Ø40 mm drill on dry wall  
Orificio Ø40 mm en pared de pladur

Minimum order 13 units  
Pedido mínimo 13 unidades


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95

52

**ALFI**
**ALF\_3744S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)  
100V - 240V / Typ 300 lumens  
Driver included / Non dimmable

**FINISHES / ACABADOS**

|                  |     |
|------------------|-----|
| 26 BLACK         | 340 |
| 20 METALLIC GOLD | 351 |

**EURO €**
**Other dimming options**

TRIAC Driver (remote) 671000068  
CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000100

**EURO €**

24

95

62

**ALF\_3744R - WITH RECESSED CANOPY**
**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)  
230V / Typ 300 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

|                  |     |
|------------------|-----|
| 26 BLACK         | 330 |
| 20 METALLIC GOLD | 339 |

**EURO €**

Ø60 mm drill on dropped ceiling  
Orificio Ø60mm en falso techo

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000100

**EURO €**


95

62


## ALFI

## ALF\_3744AS - WITH SURFACE CANOPY

## T-3744AS



## T-3744AR



## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)  
100V - 240V / Typ 300 lumens  
Driver included / Non dimmable

## FINISHES / ACABADOS

26 BLACK  
20 METALLIC GOLD

## EURO €

378  
396

## Other dimming options

TRIAC Driver (remote) 671000068  
CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000100

## EURO €

24  
95  
62

## ALF\_3744AR - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)  
230V / Typ 300 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLACK  
20 METALLIC GOLD

## EURO €

368  
384

Ø60 mm drill on dropped ceiling  
Orificio Ø 60mm en falso techo

## Other dimming options


CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000100

## EURO €

95  
62

## ALFI

## ALF\_L92S4 - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 4x3W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 4x300 lumens  
Driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLACK  
20 METALLIC GOLD

## EURO €

1262  
1356

## Other dimming options


CASAMBI for TRIAC driver 671000003  
DALI Driver 671000101

## EURO €

95  
100

## ALFI

## ALF\_R40S3A - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x3W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 3x300 lumens  
Driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLACK  
20 METALLIC GOLD

## EURO €

1193  
1332

## Other dimming options


CASAMBI for TRIAC driver 671000003  
DALI Driver 671000101

## EURO €

95  
100

## ALFI

## ALF\_R100S17 - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 17x3W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 17x300 lumens  
Driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLACK  
20 METALLIC GOLD

## EURO €


5125  
5557

## Other dimming options

CASAMBI for TRIAC driver 2 units of 671000003  
DALI Driver 2 units of 671000101

## EURO €

190  
200

**ARCO**
**ARC 4000X**

IP  
65

**FEATURES / CARACTERÍSTICAS**

\* LED 12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 1092 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

96 ANTHRACITE

**EURO €**  
641

**Other dimming options**

DALI Driver (remote) 671000101

**EURO €**  
100

**114002960**


Surface mounted canopy with IP/65 junction box. Fits driver.  
Florón de superficie con caja de conexiones IP/65. Driver en el interior.

**EURO €**  
139

Direct light:



Indirect light:


**ARC 4000X2**

\* LED 2x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 2x1092 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

96 ANTHRACITE



**EURO €**  
1271

**Other dimming options**

DALI Driver (remote) 671000101

**EURO €**  
100

Possible shapes:


**ARC 4000X3**

\* LED 3x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 3x1092 lumens  
Remote driver included / Dimmable Triac


**FINISHES / ACABADOS**

96 ANTHRACITE

**EURO €**  
1904

**Other dimming options**

DALI Driver (remote) 671000108

**EURO €**  
51


## ARCO

## ARC\_4002X

IP  
65

## FEATURES / CARACTERÍSTICAS

\* LED 12W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 1092 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS


96 ANTHRACITE

EURO €


553

1150 mm  
45.1/4"


Ø 35 mm  
Ø 1.3/8"




950 mm  
37.3/8"



750 mm  
29.1/2"



2410 mm  
84.1/4"



## Other dimming options

DALI Driver (remote) 671000101

EURO €

100


## 114002960

Surface mounted canopy with IP/65 junction box. Fits driver.


Florón de superficie con caja de conexiones IP/65 Driver en el interior.

EURO €


139



Three recommended installations for optimal design (1150 mm, 950mm, 750mm)



Possible shapes:



## ARC\_4002X2

## FEATURES / CARACTERÍSTICAS

\* LED 2x12W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 2x1092 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

96 ANTHRACITE

EURO €

1095

## Other dimming options

DALI Driver (remote) 671000101

EURO €

100

## ARC\_4002X3

## FEATURES / CARACTERÍSTICAS

\* LED 3x12W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 3x1092 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

96 ANTHRACITE

EURO €


1640


## Other dimming options

DALI Driver (remote) 671000108

EURO €

51



**ARO**
**ARO\_3541S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK

**EURO €**

1282


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000101

**EURO €**

95

100

**ARO\_3541R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK

**EURO €**

1208

Ø 60mm drill on dropped ceiling  
Orificio Ø 60mm en falso techo



**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000101

**EURO €**

95

100

**ARO**
**ARO\_3542S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 5x10W (2700K / Ang. 85° / >90 CRI / 24V)  
100V - 277V / Typ 5x1106 lumens  
Driver included / Dimmable 0-10V

**FINISHES / ACABADOS**

26 BLACK

**EURO €**

2464

**Other dimming options**


TRIAC Driver 671000104  
CASAMBI for TRIAC driver 671000003  
DALI Driver 671000105

**EURO €**

140

95

77


**123815262 Vegetation kit**


Vegetation kit with artificial greenery included. Not waterproof.  
Maximum 30kg

**FINISHES / ACABADOS**

26 BLACK

**EURO €**

2046

**ARO**
**ARO\_3543S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 7x10W (2700K / Ang. 85° / >90 CRI / 24V)  
100V - 277V / Typ 7x1106 lumens  
Driver included / Dimmable 0-10V

**FINISHES / ACABADOS**

26 BLACK

**EURO €**

3168

**Other dimming options**


TRIAC Driver 671000106  
CASAMBI for TRIAC driver 671000003  
DALI Driver 671000105

**EURO €**

208

95

77


**123815262 Vegetation kit**

Vegetation kit with artificial greenery included. Not waterproof.  
Maximum 30kg

**FINISHES / ACABADOS**


26 BLACK

**EURO €**

2046

## ARO

## ARO\_R40S1M1L - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 12x10W (2700K / Ang. 85° / >90 CRI / 24V)  
100V - 277V / Typ 12x1106 lumens  
Driver included / Dimmable 0-10V

## FINISHES / ACABADOS

26 BLACK

## EURO €

5232

## Other dimming options

TRIAC Driver 1 unit of 671000104 + 1 unit of 671000106  
CASAMBI for TRIAC driver 671000003  
DALI Driver 2 units of 671000105

## EURO €


348

95

154

## BALLOON

## BAL\_3050



## FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 120V - 240V  
On/Off Switch

## FINISHES / ACABADOS

74 WHITE

## EURO €

263

## BAL\_3050L

## FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 120V - 240V

## FINISHES / ACABADOS

74 WHITE

## EURO €


323

⊕ \* LED 0,5W / E14 / 120V - 240V

Nightlight / 3-way switch

## BALLOON

## BAL\_3052



## FEATURES / CARACTERÍSTICAS

LED up to 20W  
E27 / 120V - 240V  
Dimmable when using dim. lamps

## FINISHES / ACABADOS


74 WHITE

## EURO €

260

## BELT

## BEL\_4140MG



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 70° / >90 CRI / 350mA)  
230V / Dimmable Triac

## FINISHES / ACABADOS

89 PALE GREEN

94 CHAMPAGNE

96 ANTHRACITE

## EURO €

461

473

453

BEL\_4140-W (2700K Typ 725 lumens)

BEL\_4140-M (3000K Typ 763 lumens)


## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

## EURO €

95

52

**BELT**
**BEL\_4144S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

BEL\_4144S-W (2700K Typ 725 lumens)  
BEL\_4144S-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**


|               |     |
|---------------|-----|
| 89 PALE GREEN | 276 |
| 94 CHAMPAGNE  | 279 |
| 96 ANTHRACITE | 272 |

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95  
52

**BEL\_4144R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Remote driver included  
Dimmable Triac

BEL\_4144R-W (2700K Typ 725 lumens)  
BEL\_4144R-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**

|                     |     |
|---------------------|-----|
| Canopy: 74 WHITE    |     |
| Body: 89 PALE GREEN | 259 |
| 94 CHAMPAGNE        | 261 |
| 96 ANTHRACITE       | 256 |


Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95  
52

**BEL\_4144SG - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 70° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

BEL\_4144S-W (2700K Typ 725 lumens)  
BEL\_4144S-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**


|               |     |
|---------------|-----|
| 89 PALE GREEN | 359 |
| 94 CHAMPAGNE  | 362 |
| 96 ANTHRACITE | 355 |

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95  
52

**BEL\_4144RG - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 70° / >90 CRI / 350mA)  
230V / Remote driver included  
Dimmable Triac

BEL\_4144R-W (2700K Typ 725 lumens)  
BEL\_4144R-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**

|                     |     |
|---------------------|-----|
| Canopy: 74 WHITE    |     |
| Body: 89 PALE GREEN | 342 |
| 94 CHAMPAGNE        | 344 |
| 96 ANTHRACITE       | 339 |

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

**Other dimming options**





CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95  
52

**BELT**

BEL 4145SS - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

BEL\_4145S-W (2700K Typ 725 lumens)  
BEL\_4145S-M (3000K Typ 763 lumens)

## FINISHES / ACABADOS

|               |     |
|---------------|-----|
| 89 PALE GREEN | 338 |
| 94 CHAMPAGNE  | 344 |
| 96 ANTHRACITE | 333 |

### Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95  
52

BEL 4145RS - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Remote driver included  
Dimmable Triac

BEL\_4145R-W (2700K Typ 725 lumens)  
BEL\_4145R-M (3000K Typ 763 lumens)


## FINISHES / ACABADOS

|                     |     |
|---------------------|-----|
| Canopy: 74 WHITE    |     |
| Body: 89 PALE GREEN | 321 |
| 94 CHAMPAGNE        | 326 |
| 96 ANTHRACITE       | 317 |

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

**Other dimming options same as above (remote)**

Possible shapes without glass shade:



## BEL 4145SSG - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 70° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

BEL\_4145S-W (2700K Typ 725 lumens)  
BEL\_4145S-M (3000K Typ 763 lumens)

## FINISHES / ACABADOS

|               |     |
|---------------|-----|
| 89 PALE GREEN | 421 |
| 94 CHAMPAGNE  | 427 |
| 96 ANTHRACITE | 416 |

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95  
52

BEL 4145RSG - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 70° / >90 CRI / 350mA)  
230V / Remote driver included  
Dimmable Triac

BEL\_4145R-W (2700K Typ 725 lumens)  
BEL\_4145R-M (3000K Typ 763 lumens)


## FINISHES / ACABADOS


|                     |     |
|---------------------|-----|
| Canopy: 74 WHITE    |     |
| Body: 89 PALE GREEN | 404 |
| 94 CHAMPAGNE        | 409 |
| 96 ANTHRACITE       | 400 |

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

**Other dimming options same as above (remote)**

Possible shapes with glass shade:



**BELT**
**BEL\_4145SM - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

BEL\_4145S-W (2700K Typ 725 lumens)  
BEL\_4145S-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**


|               |     |
|---------------|-----|
| 89 PALE GREEN | 353 |
| 94 CHAMPAGNE  | 359 |
| 96 ANTHRACITE | 347 |

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95  
52

**BEL\_4145RM - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Remote driver included  
Dimmable Triac

BEL\_4145R-W (2700K Typ 725 lumens)  
BEL\_4145R-M (3000K Typ 763 lumens)



**FINISHES / ACABADOS**

|                     |     |
|---------------------|-----|
| Canopy: 74 WHITE    |     |
| Body: 89 PALE GREEN | 336 |
| 94 CHAMPAGNE        | 341 |
| 96 ANTHRACITE       | 331 |

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

**Other dimming options same as above (remote)**

Possible shapes without glass shade:


**BEL\_4145SMG - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 70° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

BEL\_4145S-W (2700K Typ 725 lumens)  
BEL\_4145S-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**


|               |     |
|---------------|-----|
| 89 PALE GREEN | 436 |
| 94 CHAMPAGNE  | 442 |
| 96 ANTHRACITE | 430 |

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

**EURO €**

95  
52

**BEL\_4145RMG - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 70° / >90 CRI / 350mA)  
230V / Remote driver included  
Dimmable Triac

BEL\_4145R-W (2700K Typ 725 lumens)  
BEL\_4145R-M (3000K Typ 763 lumens)


**FINISHES / ACABADOS**

|                     |     |
|---------------------|-----|
| Canopy: 74 WHITE    |     |
| Body: 89 PALE GREEN | 419 |
| 94 CHAMPAGNE        | 424 |
| 96 ANTHRACITE       | 414 |

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo


**Other dimming options same as above (remote)**

Possible shapes with glass shade:



## BELT

## BEL\_4145SL - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

## FINISHES / ACABADOS

|               |     |
|---------------|-----|
| 89 PALE GREEN | 369 |
| 94 CHAMPAGNE  | 376 |
| 96 ANTHRACITE | 363 |

BEL\_4145S-W (2700K Typ 725 lumens)  
BEL\_4145S-M (3000K Typ 763 lumens)

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

## EURO €

95  
52


## 124145890 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof. Suitable for pendant with large metal shade.



## EURO €

397



## BEL\_4145RL - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Remote driver included  
Dimmable Triac

## FINISHES / ACABADOS

|                     |     |
|---------------------|-----|
| Canopy: 74 WHITE    |     |
| Body: 89 PALE GREEN | 352 |
| 94 CHAMPAGNE        | 358 |
| 96 ANTHRACITE       | 347 |



BEL\_4145R-W (2700K Typ 725 lumens)  
BEL\_4145R-M (3000K Typ 763 lumens)

Possible shapes without glass shade:



Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

Other dimming options same as above (remote)



## BEL\_4145SLG - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 70° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

## FINISHES / ACABADOS

|               |     |
|---------------|-----|
| 89 PALE GREEN | 452 |
| 94 CHAMPAGNE  | 459 |
| 96 ANTHRACITE | 446 |

BEL\_4145S-W (2700K Typ 725 lumens)  
BEL\_4145S-M (3000K Typ 763 lumens)

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000099

## EURO €

95  
52


## 124145890 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof. Suitable for pendant with large metal shade.



## EURO €

397



## BEL\_4145RLG - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 70° / >90 CRI / 350mA)  
230V / Remote driver included  
Dimmable Triac

## FINISHES / ACABADOS

|                     |     |
|---------------------|-----|
| Canopy: 74 WHITE    |     |
| Body: 89 PALE GREEN | 435 |
| 94 CHAMPAGNE        | 441 |
| 96 ANTHRACITE       | 430 |


BEL\_4145R-W (2700K Typ 725 lumens)  
BEL\_4145R-M (3000K Typ 763 lumens)


Possible shapes with glass shade:



Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

Other dimming options same as above (remote)



**BELT**
**BEL\_L73S3SG - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3x6,2W (Ang. 70° / >90 CRI  
350mA) 230V / Driver included  
Dimmable Triac

W (2700K Typ 3x725 lumens)  
M (3000K Typ 3x763 lumens)

**FINISHES / ACABADOS**

|               |      |
|---------------|------|
| 89 PALE GREEN | 1329 |
| 94 CHAMPAGNE  | 1363 |
| 96 ANTHRACITE | 1274 |


Multi-color version available with white canopy  
Versión multi-color disponible con canopy blanco

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI Driver 671000092

**EURO €**

95  
79

**BELT**
**BEL\_L73S2MG - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 2x6,2W (Ang. 70° / >90 CRI  
350mA) 230V / Driver included  
Dimmable Triac

W (2700K Typ 2x725 lumens)  
M (3000K Typ 2x763 lumens)

**FINISHES / ACABADOS**

|               |      |
|---------------|------|
| 89 PALE GREEN | 1001 |
| 94 CHAMPAGNE  | 1030 |
| 96 ANTHRACITE | 948  |

Multi-color version available with white canopy  
Versión multi-color disponible con canopy blanco



**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI Driver 671000092

**EURO €**

95  
79

Possible compositions shapes:


**BELT**
**BEL\_L92S3MG - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3x6,2W (Ang. 70° / >90 CRI  
350mA) 230V / Driver included  
Dimmable Triac

W (2700K Typ 3x725 lumens)  
M (3000K Typ 3x763 lumens)

**FINISHES / ACABADOS**

|               |      |
|---------------|------|
| 89 PALE GREEN | 1374 |
| 94 CHAMPAGNE  | 1408 |
| 96 ANTHRACITE | 1316 |


Multi-color version available with white canopy  
Versión multi-color disponible con canopy blanco

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI Driver 671000092

**EURO €**

95  
79

**BELT**
**BEL\_L165S1G2SG1MG1L1LG - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6x6,2W (Ang. 70° / >90 CRI  
350mA) 230V / Driver included  
Dimmable Triac

W (2700K Typ 6x725 lumens)  
M (3000K Typ 6x763 lumens)

**FINISHES / ACABADOS**

|               |      |
|---------------|------|
| 89 PALE GREEN | 2464 |
| 94 CHAMPAGNE  | 2522 |
| 96 ANTHRACITE | 2374 |

Multi-color version available with white canopy  
Versión multi-color disponible con canopy blanco

**Other dimming options**


CASAMBI for TRIAC driver 671000003  
DALI Driver 2 units of 671000092

**EURO €**

95  
158

## BELT

## BEL\_R40S3G - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 70° / >90 CRI  
350mA) 230V / Driver included  
Dimmable Triac

## FINISHES / ACABADOS

|               |      |
|---------------|------|
| 89 PALE GREEN | 1213 |
| 94 CHAMPAGNE  | 1244 |
| 96 ANTHRACITE | 1160 |

W (2700K Typ 3x725 lumens)  
M (3000K Typ 3x763 lumens)

Multi-color version available with white canopy  
Versión multi-color disponible con canopy blanco

## Other dimming options


CASAMBI for TRIAC driver 671000003  
DALI Driver 671000092

## EURO €

95  
79

## BELT

## BEL\_R40S2SG1MG - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 70° / >90 CRI  
350mA) 230V / Driver included  
Dimmable Triac

## FINISHES / ACABADOS

|               |      |
|---------------|------|
| 89 PALE GREEN | 1414 |
| 94 CHAMPAGNE  | 1454 |
| 96 ANTHRACITE | 1357 |

W (2700K Typ 3x725 lumens)  
M (3000K Typ 3x763 lumens)

Multi-color version available with white canopy  
Versión multi-color disponible con canopy blanco


## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI Driver 671000092

## EURO €


95  
79

Possible compositions shapes:



## BELT

## BEL\_R70S1M2MG1L2LG - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6x6,2W (Ang. 70° / >90 CRI  
350mA) 230V / Driver included  
Dimmable Triac

## FINISHES / ACABADOS

|               |      |
|---------------|------|
| 89 PALE GREEN | 2735 |
| 94 CHAMPAGNE  | 2818 |
| 96 ANTHRACITE | 2625 |

W (2700K Typ 6x725 lumens)  
M (3000K Typ 6x763 lumens)


Multi-color version available with white canopy  
Versión multi-color disponible con canopy blanco


## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI Driver 2 units of 671000092

## EURO €

95  
158



**BELT**
**BEL\_4147**

**FEATURES / CARACTERÍSTICAS**


\* LED 6W (2700K / Ang. 70° / >90 CRI 24V)  
230V / Typ 1026 lumens  
Touch dimmer on the cord

**FINISHES / ACABADOS**

89 PALE GREEN  
94 CHAMPAGNE  
96 ANTHRACITE

**EURO €**

289  
292  
289


**BELT**
**BEL\_4148**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 60° / >90 CRI 350mA) 230V / Typ 725 lumens  
Push button dimmer on the head

**FINISHES / ACABADOS**


89 PALE GREEN  
94 CHAMPAGNE  
96 ANTHRACITE

**EURO €**

619  
635  
606

**Upon request:**

(3000K / Typ 763 lumens)  
Check lead time + extra cost

**BEL\_4148G**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) 230V / Typ 725 lumens  
Push button dimmer on the head

**FINISHES / ACABADOS**

89 PALE GREEN  
94 CHAMPAGNE  
96 ANTHRACITE

**EURO €**


702  
718  
689

**Upon request:**

(3000K / Typ 763 lumens)  
Check lead time + extra cost

## BELT

## BEL\_4149M



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 60° / >90 CRI  
350mA) 230V / Typ 725 lumens  
Push button dimmer on the head

## Upon request:

(3000K / Typ 763 lumens)

Check lead time + extra cost

## FINISHES / ACABADOS

89 PALE GREEN

94 CHAMPAGNE

96 ANTHRACITE


## EURO €

696

715

681

Possible shapes without glass shade:



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI  
350mA) 230V / Typ 725 lumens  
Push button dimmer on the head

## Upon request:

(3000K / Typ 763 lumens)

Check lead time + extra cost

## FINISHES / ACABADOS

89 PALE GREEN

94 CHAMPAGNE

96 ANTHRACITE


## EURO €

779

798


764

Possible shapes with glass shade:



## BELT

## BEL\_4149L



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 60° / >90 CRI  
350mA) 230V / Typ 725 lumens  
Push button dimmer on the head

## Upon request:

(3000K / Typ 763 lumens)

Check lead time + extra cost

## FINISHES / ACABADOS

89 PALE GREEN

94 CHAMPAGNE

96 ANTHRACITE


## EURO €

712

732

697

Possible shapes without glass shade:



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI  
350mA) 230V / Typ 725 lumens  
Push button dimmer on the head

## Upon request:

(3000K / Typ 763 lumens)

Check lead time + extra cost

## FINISHES / ACABADOS

89 PALE GREEN

94 CHAMPAGNE

96 ANTHRACITE


## EURO €


795

815

780

Possible shapes with glass shade:



**BOLS**
**BOL\_4022X - OUTDOOR**

IP  
65

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**


78 OXIDE RED

**EURO €**  
943

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**  
95  
100

**BOLS**
**BOL\_4023X - OUTDOOR**

IP  
65

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**


55 BEIGE

**EURO €**  
1040

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**  
95  
100

**BOLS**
**BOL\_4024X - OUTDOOR**

IP  
65

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**


78 OXIDE RED

**EURO €**  
1047

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**  
95  
100

**BOLS**
**BOL\_4025X - OUTDOOR**

IP  
65

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**

55 BEIGE

**EURO €**  
1146


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**  
95  
100

## BOLS

## BOL\_4027X - OUTDOOR

IP  
65

## FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

## FINISHES / ACABADOS

96 ANTHRACITE

EURO €  
1080

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
TRIAC Led DALI Dimmer (remote) 671000001


EURO €

95

100

## TABLE KIT

124027962  
Polypropylene flower  
pot + metal table top  
Maximum 3kg



## FINISHES / ACABADOS

96 ANTHRACITE

EURO €

87

## FLOWER POT KIT

124027963  
Polypropylene flower pot  
for natural vegetation  
Maximum 5,5kg



## FINISHES / ACABADOS

96 ANTHRACITE

EURO €

47

## VEGETATION KIT

124027967  
Artificial greenery + tray



## FINISHES / ACABADOS

96 ANTHRACITE

EURO €

596

BOLT DOWN FLOOR BASE KIT  
KIT ANCLAJE A SUELO

124027966  
Metal base



## FINISHES / ACABADOS


96 ANTHRACITE

EURO €

100

## BOLS

## BOL\_4028X - OUTDOOR

IP  
65

## FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

## FINISHES / ACABADOS

78 OXIDE RED

96 ANTHRACITE

EURO €

1003

1003

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
TRIAC Led DALI Dimmer (remote) 671000001


EURO €

95

100

## TABLE KIT

124028XX2  
Polypropylene flower  
pot + metal table top  
Maximum 5kg



## FINISHES / ACABADOS

78 OXIDE RED

96 ANTHRACITE


EURO €

112

112

## FLOWER POT SET

Ø160mm  
124028XX4  
Includes 3 flower pots + tray



## FINISHES / ACABADOS

78 OXIDE RED

96 ANTHRACITE


EURO €

60

60

## FLOWER POT SET

Ø180mm  
124028XX5  
Includes 3 flower pots + tray



## FINISHES / ACABADOS

78 OXIDE RED

96 ANTHRACITE

EURO €

64

64

## VEGETATION KIT

124028XX7  
Artificial greenery + tray



## FINISHES / ACABADOS

78 OXIDE RED

96 ANTHRACITE

EURO €

822

822

BOLT DOWN FLOOR BASE KIT  
KIT ANCLAJE A SUELO

124027XX6  
Metal base



## FINISHES / ACABADOS


78 OXIDE RED

96 ANTHRACITE

EURO €

100

100

**CANUT**
**CAN\_3571**

**FEATURES / CARACTERÍSTICAS**

\* LED 3W (3000K / Ang. 50° / >90 CRI  
350mA) / 100V - 240V  
Typ 350 lumens  
Non Dimmable  
On/Off switch for reading light (2 circuits)



\* LED 1W (3000K / Ang. 120° >80 CRI / 24V)  
100V - 240V  
Typ 150 lumens  
Non Dimmable


**FINISHES / ACABADOS**

26 BLACK  
74 WHITE

**EURO €**

333  
333

Chrome swivel on all the finishes  
Rótula cromada en todos los acabados

**CIRC**
**CIR\_3702**


IP  
44

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**

23 SMOKED GREY  
65 SMOKED BRONZE

**EURO €**


406  
406

**Other dimming options**

TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

100

**CIRC**
**CIR\_3704**


IP  
44

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**

00 PLAIN

**EURO €**


516

**Other dimming options**

TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

100

**CIRC**
**CIR\_3706**


IP  
44

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**

00 PLAIN

**EURO €**

524

**Other dimming options**

TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

100

**CIR\_3706A - WITH MISTING TREATMENT**

IP  
44

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**

00 PLAIN

**EURO €**

658

Mirror with misting treatment  
Espejo con sistema anti vaho

**Other dimming options**


TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

100

## CIRC

## CIR\_3714S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 120°  
 >90 CRI / 350mA) / 230V  
 Typ 725 lumens  
 Driver included / Dimmable Triac  
 Glass shade

## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 61 SATIN GOLD  
 26 BLACK

EURO €

507  
 458

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
 DALI Driver 671000099

EURO €

95  
 52

## CP CIR\_3714R - WITH RECESSED CANOPY

Ø 110 mm  
 Ø 4.3/8"

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 120°  
 >90 CRI / 350mA) / 230V  
 Typ 725 lumens  
 Remote driver included / Dimmable Triac  
 Glass shade

## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 61 SATIN GOLD  
 26 BLACK

EURO €

480  
 431


Ø 50mm drill on dropped ceiling  
 Orificio Ø 50mm en falso techo



Other dimming options same as above (remote)

## CIRC

## CIR\_3715S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 2x6,2W (2700K / Ang. 120°  
 >90 CRI / 350mA) / 230V  
 Typ 2x725 lumens  
 Driver included / Dimmable Triac  
 Glass shade

## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 61 SATIN GOLD  
 26 BLACK

EURO €

704  
 611

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
 DALI Driver 671000092

EURO €

95  
 79

## CP CIR\_3715R - WITH RECESSED CANOPY

Ø 110 mm  
 Ø 4.3/8"

## FEATURES / CARACTERÍSTICAS

\* LED 2x6,2W (2700K / Ang. 120°  
 >90 CRI / 350mA) / 230V  
 Typ 2x725 lumens  
 Remote driver included / Dimmable Triac  
 Glass shade

## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 61 SATIN GOLD  
 26 BLACK

EURO €

677  
 584


Ø 50mm drill on dropped ceiling  
 Orificio Ø 50mm en falso techo



Other dimming options same as above (remote)

## CIRC

## CIR\_3716S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (2700K / Ang. 120°  
 >90 CRI / 350mA) / 230V  
 Typ 3x725 lumens  
 Driver included / Dimmable Triac  
 Glass shade

## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 61 SATIN GOLD  
 26 BLACK

EURO €

1079  
 886

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
 DALI Driver 671000092

EURO €

95  
 79

## CIR\_3716R - WITH RECESSED CANOPY

Ø 110 mm  
 Ø 4.3/8"

## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (2700K / Ang. 120°  
 >90 CRI / 350mA) / 230V  
 Typ 3x725 lumens  
 Remote driver included / Dimmable Triac  
 Glass shade


## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 61 SATIN GOLD  
 26 BLACK

EURO €

1052  
 859

Other dimming options same as above (remote)

**CIRC**
**CIR\_3720 - INDOOR**

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**

61 SATIN GOLD  
26 BLACK

**EURO €**

318  
279

**Other dimming options**

TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

100

**CIR\_3720B - BATHROOM**

IP  
44

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**

61 SATIN GOLD  
26 BLACK

**EURO €**

336  
296

**Other dimming options**

TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

100

**CIR\_3720X - OUTDOOR**

IP  
55

**FEATURES / CARACTERÍSTICAS**

\* LED 8W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 665 lumens / Dimmable Triac  
Polyethylene shade

**FINISHES / ACABADOS**

26 BLACK

**EURO €**

300

**Other dimming options**

TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

100

**Signage - IN & OUT**

Optional laser-cut signage

Minimum order 10 units

Custom finishes available

Señalización opcional con láser

Pedido mínimo 10 unidades

Posibilidad de acabados especiales

**FINISHES / ACABADOS**



In & Out: 55 BEIGE

Indoor only: 94 CHAMPAGNE

**EURO €**

37

38


**CIRC**
**CIR\_3722 - INDOOR**

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**

61 SATIN GOLD  
26 BLACK

**EURO €**

372  
340

**Other dimming options**

TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

100

**CIR\_3722X - OUTDOOR**

IP  
55

**FEATURES / CARACTERÍSTICAS**

\* LED 8W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 665 lumens / Dimmable Triac  
Polyethylene shade

**FINISHES / ACABADOS**

26 BLACK

**EURO €**


323

**Other dimming options**

TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

100

**CIRC**
**CIR\_3726X - OUTDOOR**


IP  
67

**FEATURES / CARACTERÍSTICAS**

\* LED 2,5W (3000K / Ang. 120° / >80 CRI)  
5200mAh / 230V / Typ 290 lumens  
Polyethylene shade

**FINISHES / ACABADOS**

In & Out: 26 BLACK

Indoor only: 61 SATIN GOLD

**EURO €**

292


304

Li on battery / Three position dimming / Remote control

Battery charging time 8-10h / Battery life over 6h at maximum brightness

## CIRC

## CIR\_3727X - OUTDOOR



IP  
67

## FEATURES / CARACTERÍSTICAS

\* LED 2,5W (3000K / Ang. 120° / >80 CRI)  
5200mAh) 230V / Typ 290 lumens  
Polyethylene shade

## FINISHES / ACABADOS

In & Out: 26 BLACK  
Indoor only: 61 SATIN GOLD


## EURO €

338  
374

Li on battery / Three position dimming / Remote control  
Battery charging time 8-10h / Battery life over 6h at maximum brightness

## CIRC

## CIR\_3728 - INDOOR



## FEATURES / CARACTERÍSTICAS

\* LED 8W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 665 lumens  
Glass shade  
On/Off cord switch

## FINISHES / ACABADOS

61 SATIN GOLD  
26 BLACK

## EURO €

589  
469


## DIMMABLE UPON REQUEST / REGULABLE BAJO PEDIDO

Push button dimmer on the cord

## EURO €

156

## CIR\_3728X - OUTDOOR



IP  
55

## FEATURES

\* LED 8W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 665 lumens / Dimmable Triac  
Polyethylene shade

## FINISHES / ACABADOS


26 BLACK

## EURO €

454

## CIRC

## CIR\_3729 - INDOOR



## FEATURES / CARACTERÍSTICAS

\* LED 8W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 665 lumens  
Glass shade  
On/Off cord switch

## FINISHES / ACABADOS

61 SATIN GOLD  
26 BLACK

## EURO €

702  
535


## DIMMABLE UPON REQUEST / REGULABLE BAJO PEDIDO

Push button dimmer on the cord

## EURO €

156

## CIR\_3729X - OUTDOOR



IP  
55

## FEATURES / CARACTERÍSTICAS


\* LED 8W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 665 lumens / Dimmable Triac  
Polyethylene shade

## FINISHES / ACABADOS

26 BLACK

## EURO €

617

**CIRC**
**CIR\_3815S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 4x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 4x725 lumens  
Driver included / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
Ring: 26 BLACK  
61 SATIN GOLD

**EURO €**


1332  
1527

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI Driver 2 units of 671000092

**EURO €**

95  
158

**CP CIR\_3815R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 4x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 4x725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**


Canopy: 26 BLACK  
Ring: 26 BLACK  
61 SATIN GOLD

**EURO €**

1221  
1416

**Other dimming options same as above (remote)**

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo


**CIRC**
**CIR\_3816S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 7x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 7x725 lumens  
Dimmable Triac / Glass shade

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
Ring: 26 BLACK  
61 SATIN GOLD

**EURO €**


2052  
2414

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI Driver 3 units of 671000092

**EURO €**

95  
237

**CIR\_3816R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 7x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 7x725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**


Canopy: 26 BLACK  
Ring: 26 BLACK  
61 SATIN GOLD

**EURO €**

1941  
2303

**Other dimming options same as above (remote)**

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo


**CIRC**
**CIR\_R30S1SP1MP - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 11x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 11x725 lumens  
Dimmable Triac / Glass shade

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
Ring: 26 BLACK  
61 SATIN GOLD

**EURO €**


3185  
3742

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI Driver 5 units of 671000092

**EURO €**

95  
395

**CIR\_R12R1SP1MP - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 11x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 11x725 lumens  
Dimmable Triac / Glass shade

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
Ring: 26 BLACK  
61 SATIN GOLD

**EURO €**

3074  
3631


**Other dimming options same as above (remote)**

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo



## CIRC

## CIR\_R30S1MP1VK - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 7x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 7x725 lumens  
Driver included / Dimmable Triac  
Glass shade


## FINISHES / ACABADOS

Canopy: 26 BLACK  
Ring: 26 BLACK  
61 SATIN GOLD

## EURO €

4098  
4460

Vegetation KIT with artificial greenery.  
Not waterproof / Maximum 30kg




## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI Driver 3 units of 671000092

## EURO €

95  
237

## CIR\_R12R1MP1VK - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 7x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 7x725 lumens  
Remote driver / Dimmable Triac  
Glass shade


## FINISHES / ACABADOS

Canopy: 26 BLACK  
Ring: 26 BLACK  
61 SATIN GOLD

## EURO €

3987  
4349

Vegetation KIT with artificial greenery.  
Not waterproof / Maximum 30kg



## Other dimming options


CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 3 units of 671000092

## EURO €

95  
237

## CIRC

## CIR\_R30S1S1M - WITH SURFACE CANOPY



## FEATURES

\* LED 2x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 2x725 lumens  
Driver included / Dimmable Triac  
Glass shade

## FINISHES / ACABADOS

26 BLACK

## EURO €

747


## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI Driver 671000092

## EURO €

95  
79

## CIR\_R12R1S1M - WITH RECESSED CANOPY



## FEATURES

\* LED 2x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 2x725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

## FINISHES / ACABADOS

26 BLACK

## EURO €

636

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 671000092


## EURO €

95  
79



## CIRC

## CIR\_3825S



## FEATURES / CARACTERÍSTICAS

\* LED 5x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 5x725 lumens  
Driver included / Dimmable Triac  
Glass shade and acoustic panel

## FINISHES / ACABADOS

Canopy: 26 BLACK  
Panels: 97 LIGHT GREY

EURO €

1839

## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI Driver 2 units of 671000092


EURO €

95

158

## CIRC

## CIR\_R12R4S - WITH RECESSED CANOPY



## FEATURES

\* LED 4x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 4x725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

## FINISHES / ACABADOS

26 BLACK

EURO €

1246



Ø 50mm drill on dry wall  
Orificio Ø 50mm en pared de pladur

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 2 units of 671000092


EURO €

95

158

## CIRC

## CIR\_R30S6S - WITH SURFACE CANOPY



## FEATURES

\* LED 6x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 6x725 lumens  
Driver included / Dimmable Triac  
Glass shade

## FINISHES / ACABADOS

26 BLACK

EURO €

1889

## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI Driver 2 units of 671000092


EURO €

95

158

## CIRC

## 123815263 - SUSPENSION FLOWER POT KIT



## FEATURES / CARACTERÍSTICAS

Flower pot KIT for greenery in black anthracite polyethylene. Plants not included.  
Waterproof / Maximum 1,5kg

## FINISHES / ACABADOS

26 BLACK ANTHRACITE


EURO €

188

KIT de vegetación para plantas. Plantas no incluidas.  
Maceta de polietileno negro antracita.  
Resistente al agua / Máximo 1,5kg

## COMPASS

## COM\_4070S



## FEATURES / CARACTERÍSTICAS

\* LED 3W [Ang.38° / >90CRI / 350mA]  
100V - 240V / Non Dimmable

## FINISHES / ACABADOS

26 BLACK

55 BEIGE

59 TERRACOTTA

EURO €

334

334

334

A-4070-W [2700K Typ 285 lumens]

A-4070-M [3000K Typ 367 lumens]

## Other dimming options

TRIAC driver (remote) 671000076  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

EURO €

20

95

52

**COMPASS**
**COM\_4071S**
**FEATURES / CARACTERÍSTICAS**



\* LED 3W (Ang.38° / >90CRI / 350mA)  
100V - 240V  
Driver included / Non Dimmable

A-4071-W (2700K Typ 285 lumens)  
A-4071-M (3000K Typ 367 lumens)

Bathroom version IP44 upon request  
Versión para baño IP44 bajo pedido

**FINISHES / ACABADOS**

|               |     |
|---------------|-----|
| 26 BLACK      | 368 |
| 55 BEIGE      | 368 |
| 59 TERRACOTTA | 368 |

**EURO €**


Luminarie can be mounted off the center  
Se puede instalar en un punto de luz desplazado

**Other dimming options**

TRIAC driver (remote) 671000076  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

|    |
|----|
| 20 |
| 95 |
| 52 |


**COMPASS**
**COM\_4072S**
**FEATURES / CARACTERÍSTICAS**

\* LED 2x3W (Ang.38° / >90CRI / 350mA)  
100V - 240V  
Driver included / Non Dimmable

A-4072-W (2700K Typ 2x285 lumens)  
A-4072-M (3000K Typ 2x367 lumens)

**FINISHES / ACABADOS**

|               |     |
|---------------|-----|
| 26 BLACK      | 614 |
| 55 BEIGE      | 614 |
| 59 TERRACOTTA | 614 |

**EURO €**

**Other dimming options**

TRIAC driver (remote) 671000076  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

|    |
|----|
| 20 |
| 95 |
| 52 |

**COMPASS**
**COM\_4073R - WITH RECESSED CANOPY**
**FEATURES / CARACTERÍSTICAS**

\* LED 3W (Ang.38° / >90CRI / 350mA)  
230V / Remote driver / Non Dimmable


A-4073-W (2700K Typ 285 lumens)  
A-4073-M (3000K Typ 367 lumens)

**FINISHES / ACABADOS**

|               |     |
|---------------|-----|
| 26 BLACK      | 257 |
| 55 BEIGE      | 257 |
| 59 TERRACOTTA | 257 |

**EURO €**

Ø 60mm drill on dry wall  
Orificio Ø 60mm en pared de pladur


**Other dimming options**

TRIAC driver (remote) 671000076  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

|    |
|----|
| 20 |
| 95 |
| 52 |


**COMPASS**
**COM\_4073S - WITH SURFACE CANOPY**
**FEATURES / CARACTERÍSTICAS**

\* LED 3W (Ang.38° / >90CRI / 350mA)  
230V / Driver included / Non Dimmable

A-4073-W (2700K Typ 285 lumens)  
A-4073-M (3000K Typ 367 lumens)

**FINISHES / ACABADOS**

|               |     |
|---------------|-----|
| 26 BLACK      | 246 |
| 55 BEIGE      | 246 |
| 59 TERRACOTTA | 246 |

**EURO €**

**Other dimming options**


TRIAC driver (remote) 671000076  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

|    |
|----|
| 20 |
| 95 |
| 52 |

## COMPASS

## COM\_4074S



## FEATURES / CARACTERÍSTICAS


\* LED 6,2W (Ang.38° / >90CRI / 300mA)  
230V / Dimmable Triac

T-4074-W (2700K Typ 625 lumens)

T-4074-M (3000K Typ 652 lumens)

## FINISHES / ACABADOS

|               | EURO € |
|---------------|--------|
| 26 BLACK      | 326    |
| 55 BEIGE      | 326    |
| 59 TERRACOTTA | 326    |



Can be mounted on the wall  
Se puede instalar en la pared

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003

DALI Driver (remote) 6710000103


## EURO €

95

44

## COMPASS

## COM\_R21S2 - WITH SURFACE CANOPY




## FEATURES / CARACTERÍSTICAS

\* LED 2x6,2W (Ang.38° / >90CRI / 300mA)  
230V / Dimmable Triac

T-4074-W (2700K Typ 2x625 lumens)

T-4074-M (3000K Typ 2x652 lumens)



## FINISHES / ACABADOS

|               | EURO € |
|---------------|--------|
| 26 BLACK      | 724    |
| 55 BEIGE      | 724    |
| 59 TERRACOTTA | 724    |

Scheme parameters / Parámetros esquema:


Ceiling height / Altura techo = 2500mm

Table length / Longitud mesa = 1800 - 2000mm

Table width / Anchura mesa = 900mm

Consult spec sheets for other possible shapes

Consultar ficha técnica para más formas



## 114074XX2R

Optional recessed canopy

Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo



## EURO €

162

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003

DALI Driver (remote) 6710000103


## EURO €

95

44

## COMPASS

## COM\_R21S4 - WITH SURFACE CANOPY




## FEATURES / CARACTERÍSTICAS

\* LED 4x6,2W (Ang.38° / >90CRI / 300mA)  
230V / Dimmable Triac

T-4074-W (2700K Typ 4x625 lumens)

T-4074-M (3000K Typ 4x652 lumens)



## FINISHES / ACABADOS

|               | EURO € |
|---------------|--------|
| 26 BLACK      | 1194   |
| 55 BEIGE      | 1194   |
| 59 TERRACOTTA | 1194   |

Scheme parameters / Parámetros esquema:


Ceiling height / Altura techo = 2500mm

Table length / Longitud mesa = 2300 - 2600mm

Table width / Anchura mesa = 900mm

Consult spec sheets for other shape possibilities

Consultar ficha técnica para más formas



## 114074XX2R

Optional recessed canopy

Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo



## EURO €

162

## Other dimming options



CASAMBI for TRIAC driver (remote) 671000003

DALI Driver (remote) 2 units of 6710000103

## EURO €


95

88

**COMPASS**
**COM\_R21S6 - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6x6,2W (Ang.38° / >90CRI / 300mA)  
230V / Dimmable Triac

T-4074-W (2700K Typ 6x625 lumens)  
T-4074-M (3000K Typ 6x652 lumens)


**FINISHES / ACABADOS**

|               |      |
|---------------|------|
| 26 BLACK      | 1664 |
| 55 BEIGE      | 1664 |
| 59 TERRACOTTA | 1664 |

**EURO €**

Scheme parameters / Parámetros esquema:  
Ceiling height / Altura techo = 2500mm  
Table diameter / Diámetro mesa = 1600 - 2000mm

Consult spec sheets for other possible shapes  
Consultar ficha técnica para más formas

**114074XX2R**

Optional recessed canopy



Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

**EURO €**

162


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI Driver (remote) 3 units of 6710000103

**EURO €**

95

132

**COMPASS**
**COM\_4077**

**FEATURES / CARACTERÍSTICAS**

\* LED 3W (Ang.38° / >90CRI / 24V)  
100V - 240V / Push button dimmer on the cord  
Universal plug


**FINISHES / ACABADOS**

|               |     |
|---------------|-----|
| 26 BLACK      | 431 |
| 55 BEIGE      | 431 |
| 59 TERRACOTTA | 431 |

**EURO €**

M-4077-W (2700K Typ 300 lumens)

M-4077-M (3000K Typ 330 lumens - check lead time)

**COMPASS**
**COM\_4078**

**FEATURES / CARACTERÍSTICAS**

\* LED 3W (Ang.38° / >90CRI / 24V)  
100V - 240V / Push button dimmer on the cord  
Universal plug


**FINISHES / ACABADOS**

|               |     |
|---------------|-----|
| 26 BLACK      | 549 |
| 55 BEIGE      | 549 |
| 59 TERRACOTTA | 549 |

**EURO €**

p-4078-W (2700K Typ 300 lumens)

p-4078-M (3000K Typ 330 lumens - check lead time)

**COMPASS**
**COM\_4079**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang.38° / >90CRI / 300mA)  
100V - 240V / Push button dimmer on the cord  
Universal plug

**FINISHES / ACABADOS**

|               |     |
|---------------|-----|
| 26 BLACK      | 612 |
| 55 BEIGE      | 612 |
| 59 TERRACOTTA | 612 |


**EURO €**

P-4079-W (2700K Typ 625 lumens)

P-4079-M (3000K Typ 652 lumens)

## CUPOLINA

## CUP\_3930



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable  
Shelf: maximum 2kg

## FINISHES / ACABADOS

26 BLACK  
59 TERRACOTTA

## EURO €

382  
421

## Other dimming options


TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

38  
95  
52

## CUPOLINA

## CUP\_3934S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Driver included / Non Dimmable

## FINISHES / ACABADOS

26 BLACK  
59 TERRACOTTA

## EURO €


266  
277

## Other dimming options

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

38  
95  
52



## CUP\_3934R - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLACK  
59 TERRACOTTA

## EURO €

254  
264

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

## Other dimming options


CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

95  
52

## CUPOLINA

## CUP\_3935



## FEATURES / CARACTERÍSTICAS

\* LED 6x6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 230V / Typ 6x725 lumens  
Driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLACK

## EURO €


1443

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver 2 units of 671000092

## EURO €

95  
158

**CUPOLINA**
**CUP\_3937**

**FEATURES / CARACTERÍSTICAS**


\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 230V / Typ 725 lumens  
On/Off cord switch

**FINISHES / ACABADOS**

26 BLACK  
59 TERRACOTTA

**EURO €**

390  
419

**CUPOLINA**
**CUP\_3939**

**FEATURES / CARACTERÍSTICAS**


\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 230V / Typ 725 lumens  
On/Off cord switch

**FINISHES / ACABADOS**

26 BLACK  
59 TERRACOTTA

**EURO €**

633  
681

**CYLS**
**CYL\_3900**

**FEATURES / CARACTERÍSTICAS**

LED up to 10W / E14 / 230V  
Dimmable When using dim. lamps

**FINISHES / ACABADOS**

26 BLACK

**EURO €**


139

**100006400**

LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

**EURO €**

15

**CYLS**
**CYL\_3906**

**FEATURES / CARACTERÍSTICAS**


LED up to 20W / E27 / 230V  
On/Off cord switch

**FINISHES / ACABADOS**

26 BLACK

**EURO €**

167


**CYL\_3906P**
**FEATURES / CARACTERÍSTICAS**

LED up to 20W / E27 / 230V  
On/Off cord switch  
Translucent polyester shade

**FINISHES / ACABADOS**

Shade: 27 WHITE  
Body: 26 BLACK

**EURO €**

286

**100019420**


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

**EURO €**

35

## CYLS

## CYL\_3907



## FEATURES / CARACTERÍSTICAS

LED up to 10W  
E14 / 230V  
On/Off cord switch

## FINISHES / ACABADOS

26 BLACK

EURO €  
306


**100006400**

LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €  
15

## CYLS

## CYL\_3908



## FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V  
On/Off cord switch

## FINISHES / ACABADOS

26 BLACK

EURO €  
528

## CYL\_3908P

## FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V  
On/Off cord switch  
Translucent polyester shade

## FINISHES / ACABADOS

Shade: 27 WHITE

Body: 26 BLACK

EURO €  
647


**100019420**

LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €  
35

## ECLIPSI

## ECL\_3700




## FEATURES / CARACTERÍSTICAS

\* LED 2x10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 2x870 lumens  
Dimmable Triac  
Weight: 4,5Kg

## FINISHES / ACABADOS

74 WHITE

EURO €  
483



Can be mounted on the ceiling  
Se puede instalar en el techo

## Other dimming options

TRIAC Led DALI Dimmer (remote) 671000101

EURO €  
100


## Signage

Optional laser-cut signage / Minimum order 18 units  
Señalización opcional con láser / Pedido mínimo 18 unidades

EURO €  
37

## ECLIPSI

## ECL\_3701




## FEATURES / CARACTERÍSTICAS

\* LED 2x15W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 2x1245 lumens  
Dimmable Triac  
Weight: 8,5Kg

## FINISHES / ACABADOS

74 WHITE

EURO €  
657




Can be mounted on the ceiling  
Se puede instalar en el techo

## Other dimming options

TRIAC Led DALI Dimmer (remote) 671000101

EURO €  
100

**FLOW**
**FLO\_3730**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Non dimmable

**FINISHES / ACABADOS**

61 SATIN GOLD  
26 BLACK  
74 WHITE

**EURO €**


335  
301  
301

**Other dimming options**

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

38  
95  
52

**FLOW**
**FLO\_3734S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Driver included / Non dimmable

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Shade: 61 SATIN GOLD  
26 BLACK  
74 WHITE

**EURO €**

326  
310  
310

**Other dimming options**

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

38  
95  
52

**FLO\_3734R - WITH RECESSED CANOPY**
**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**


Canopy: 26 BLACK  
74 WHITE  
Shade: 61 SATIN GOLD  
26 BLACK  
74 WHITE

**EURO €**

314  
298  
298

**Other dimming options same as above (remote)**

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo


**FLOW**
**FLO\_3735S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Driver included / Non dimmable

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Shade: 61 SATIN GOLD  
26 BLACK  
74 WHITE

**EURO €**

347  
330  
330

**Other dimming options**

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

38  
95  
52

**FLO\_3735R - WITH RECESSED CANOPY**
**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Shade: 61 SATIN GOLD  
26 BLACK  
74 WHITE

**EURO €**


335  
318  
318

**Other dimming options same as above (remote)**

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo



## FLOW



## FLO\_3736S - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Driver included / Non dimmable

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Shade: 61 SATIN GOLD  
26 BLACK  
74 WHITE

## EURO €

351  
336  
336


## Other dimming options

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

38  
95  
52

## FLO\_3736R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Shade: 61 SATIN GOLD  
26 BLACK  
74 WHITE

## EURO €

339  
324  
324

Ø 45mm drill on dropped ceiling  
Oficio Ø 45mm en falso techo




## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

95  
52

## FLOW



## FLO\_L92S4S - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 100V - 240V / Typ 3x725 lumens  
Driver included / Dimmable Triac

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Shade: 61 SATIN GOLD  
26 BLACK  
74 WHITE

## EURO €

1234  
1170  
1170

Up to 3 additional FLOW can be added  
Posibilidad de añadir hasta 3 FLOW


## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI driver 2 units of 671000092

## EURO €

95  
158

## FLOW



## FLO\_R40S3S - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (2700K / Ang. 90° / >90 CRI  
350mA) / 100V - 240V / Typ 3x725 lumens  
Driver included / Dimmable Triac

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Shade: 61 SATIN GOLD  
26 BLACK  
74 WHITE

## EURO €

1018  
970  
970


## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI driver 671000092

## EURO €

95  
79

## FRAME



## FRA\_4050 - INDOOR

## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (3000K / Ang. 70° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable / Transparent pyrex glass

## FINISHES / ACABADOS

96 ANTHRACITE

## EURO €


285

## Other dimming options

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

38  
95  
52

**FRAME**
**FRA\_4051X - OUTDOOR**

IP  
65

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable  
Transparent pyrex glass

**FINISHES / ACABADOS**

96 ANTHRACITE

**EURO €**

358

**Other dimming options**

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

38

95

52

**Signage**

Optional laser-cut signage / Minimum order 5 units  
Señalización opcional con láser / Pedido mínimo 5 unidades

**EURO €**

57


80 mm  
3.1/8"

73 mm  
2.7/8"

77 mm  
3"

73 mm  
2.7/8"


32 mm  
1.1/4"

**124051960 VEGETATION KIT**

KIT for greenery. Plants not included.  
KIT de vegetación para plantas. Plantas no incluidas.

**EURO €**

33

**FRAME**
**FRA\_4053X - OUTDOOR**

IP  
65

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable  
Transparent pyrex glass

**FINISHES / ACABADOS**

96 ANTHRACITE

**EURO €**

350

**Other dimming options**


TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

38

95

52

**FRAME**
**FRA\_4054X - OUTDOOR**

IP  
65

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable / Hard wired (no plug)  
Transparent pyrex glass

**FINISHES / ACABADOS**

96 ANTHRACITE

**EURO €**

358

**Other dimming options**


TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

38

95

52

**FRAME**
**FRA\_4055X - OUTDOOR**

IP  
65

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable / Hard wired (no plug)  
Transparent pyrex glass

**FINISHES / ACABADOS**

96 ANTHRACITE

**EURO €**

374

**Other dimming options**

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**


38

95

52

FRAME

FRA 4056X - OUTDOOR



IP  
65

FEATURES / CARACTERÍSTICAS

\* LED 6,2W (3000K / Ang. 70° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable / Hard wired (no plug)  
Transparent pyrex glass

FINISHES / ACABADOS

96 ANTHRACITE

EURO €  
410


Other dimming options

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

EURO €  
38  
95  
52

GADA

GAD 3921



FEATURES / CARACTERÍSTICAS

\* LED 22W (3000K / Ang. 90° / >90 CRI  
500mA) / 230V / Typ 3150 lumens  
Dimmable Triac

FINISHES / ACABADOS

Shade: 74 WHITE  
Textured vinyl shade:  
50 MARBLE  
51 CONCRETE  
52 WOOD

EURO €  
404  
456  
456  
456

Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI driver 671000107

EURO €  
95  
48


Signage

Optional laser-cut signage / Minimum order 13 units  
Señalización opcional con láser / Pedido mínimo 13 unidades

EURO €  
37

GADA

GAD 3924S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

\* LED 22W (3000K / Ang. 90° / >90 CRI  
500mA) / 230V / Typ 3150 lumens  
Driver included / Dimmable Triac

FINISHES / ACABADOS

Shade: 74 WHITE  
Textured vinyl shade:  
50 MARBLE  
51 CONCRETE  
52 WOOD


EURO €  
535  
586  
586  
586

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000107

EURO €  
95  
48

GAD 3924R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

\* LED 22W (3000K / Ang. 90° / >90 CRI  
500mA) / 230V / Typ 3150 lumens  
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Shade: 74 WHITE  
Textured vinyl shade:  
50 MARBLE  
51 CONCRETE  
52 WOOD


EURO €  
461  
512  
512  
512

Ø 55mm drill on dropped ceiling  
Orificio Ø 55mm en falso techo

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000107

EURO €  
95  
48

**GADA**
**GAD\_3925S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 33W (3000K / Ang. 90° / >90 CRI  
500mA) / 230V / Typ 4725 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

Shade: 74 WHITE  
Textured vinyl shade:  
50 MARBLE  
51 CONCRETE  
52 WOOD

**EURO €**


659  
716  
716  
716

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000108

**EURO €**

95  
51

**GAD\_3925R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 33W (3000K / Ang. 90° / >90 CRI  
500mA) / 230V / Typ 4725 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

Shade: 74 WHITE  
Textured vinyl shade:  
50 MARBLE  
51 CONCRETE  
52 WOOD

**EURO €**

585  
642  
642  
642


Ø 55mm drill on dropped ceiling  
Orificio Ø 55mm en falso techo

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000108

**EURO €**

95  
51

**GADA**
**GAD\_3927**

**FEATURES / CARACTERÍSTICAS**


\* LED 22W (3000K / Ang. 90° / >90 CRI  
500mA) / 230V / Typ 3150 lumens  
On/Off switch on the base

**FINISHES / ACABADOS**

Shade: 74 WHITE  
Textured vinyl shade:  
50 MARBLE  
51 CONCRETE  
52 WOOD

**EURO €**

572  
608  
608  
608

**ICONS**
**ICO\_1129**

**FEATURES / CARACTERÍSTICAS**

\* Hal. up to 200W / 118mm / R7s base  
230V / Dimmable


**FINISHES / ACABADOS**

61 SATIN GOLD  
37 NICKEL  
26 BLACK

**EURO €**

732  
692  
577

Compatible with Dimmable LED  
118mm / R7s base / 230V  
Not included

**LAVERD**
**LAV\_3805S**

**FEATURES / CARACTERÍSTICAS**

\* LED 8x3W up + 8x3W down (2700K  
Ang. 60° / >90 CRI / 24V) 100V - 277V  
Typ 8x300 lumens up + 8x300 lumens down  
Driver included / Dimmable 0-10V  
Up and down light

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

**EURO €**

2016  
2184


**Other dimming options**

DALI driver 671000105

**EURO €**

77

Possible shapes / compositions



## LAVERD

## LAV\_3806S - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 12x3W up + 12x3W down (2700K  
Ang. 60° / >90 CRI / 24V) 100V - 277V  
Typ 12x300 lumens up + 12x300 lumens down  
Driver included / Dimmable 0-10V  
Up and down light

## FINISHES / ACABADOS

Canopy: 26 BLACK  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

EURO €



3196  
3450

## Other dimming options


DALI driver 671000105

EURO €

77



Possible shapes / compositions



## LAVERD

## LAV\_R11S1S1M - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 20x3W up + 20x3W down (2700K  
Ang. 60° / >90 CRI / 24V) 100V - 277V  
Typ 20x300 lumens up + 20x300 lumens down  
Driver included / Dimmable 0-10V  
Up and down light

## FINISHES / ACABADOS

Canopy: 26 BLACK  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

EURO €



5213  
5635

## Other dimming options


DALI driver 2 units of 671000105

EURO €

154



Possible shapes / compositions



## LAVERD

## LAV\_R11S1M1VK - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 12x3W up + 12x3W down (2700K  
Ang. 60° / >90 CRI / 24V) 100V - 277V  
Typ 12x300 lumens up + 12x300 lumens down  
Driver included / Dimmable 0-10V  
Up and down light

## FINISHES / ACABADOS

Canopy: 26 BLACK  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

EURO €



5242  
5496


## Other dimming options

DALI driver 671000105

EURO €

77



**LOOP**
**LOO\_4120**

**FEATURES / CARACTERÍSTICAS**

\* LED 6W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 1026 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

20 METALLIC GOLD  
26 BLACK

**EURO €**


310  
301

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000100

**EURO €**

95  
62

**LOOP**
**LOO\_4125S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 1026 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

20 METALLIC GOLD  
26 BLACK

**EURO €**


496  
477

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000100

**EURO €**

95  
62

**LOO\_4125R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 1026 lumens  
Remote Driver included / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 74 WHITE  
Body: 20 METALLIC GOLD  
26 BLACK

**EURO €**

479  
461


Ø 60mm drill on dropped ceiling  
Orificio Ø 60mm en falso techo


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000100

**EURO €**

95  
62

**LOOP**
**LOO\_L92S3 - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3x6W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 3x1026 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

20 METALLIC GOLD  
26 BLACK

**EURO €**


1581  
1465

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 671000101

**EURO €**

95  
100

**LOOP**
**LOO\_L165S6 - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6x6W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 6x1026 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

20 METALLIC GOLD  
26 BLACK

**EURO €**

3048  
2823

**Other dimming options**


CASAMBI for TRIAC driver 671000003  
DALI driver 2 units of 671000101

**EURO €**

95  
200

## LOOP

## LOO\_R40S3 - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x6W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 3x1026 lumens  
Driver included / Dimmable Triac

## FINISHES / ACABADOS

20 METALLIC GOLD  
26 BLACK

## EURO €

1674  
1526

## Other dimming options


CASAMBI for TRIAC driver 671000003  
DALI driver 671000101

## EURO €

95  
100

## LOOP

## LOO\_R70S6 - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6x6W (2700K / Ang. 120° / >90 CRI  
24V) / 230V / Typ 6x1026 lumens  
Driver included / Dimmable Triac

## FINISHES / ACABADOS

20 METALLIC GOLD  
26 BLACK

## EURO €

3151  
3025

## Other dimming options


CASAMBI for TRIAC driver 671000003  
DALI driver 2 units of 671000101

## EURO €

95  
200

## LUNE

## LUN\_3370 - OUTDOOR



IP  
65

## FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

## FINISHES / ACABADOS

In & Out: 26 BLACK  
74 WHITE  
Indoor only: 61 SATIN GOLD

## EURO €

364  
364  
406

## Signage

Optional laser-cut signage / Minimum order 5 units  
Señalización opcional con láser / Pedido mínimo 5 unidades

## EURO €

57

## Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

## EURO €

100

## MAINE

## MAI\_3410



## FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 90° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

## FINISHES / ACABADOS

45 METALLIC COPPER  
20 METALLIC GOLD

## EURO €

285  
285

## Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

## EURO €

100

## MAINE

## MAI\_3415S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 90° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Shade: 45 METALLIC COPPER  
20 METALLIC GOLD

## EURO €

376  
376

## Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

## EURO €

100

## MAINE

## MAI\_R40S3 - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x10W (2700K / Ang. 90° / >90 CRI)  
230V / Typ 3x870 lumens  
Dimmable Triac

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Shade: 45 METALLIC COPPER  
20 METALLIC GOLD

## EURO €


1217  
1217

## Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

## EURO €

100

**MOOD**
**MOO\_4064S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 19W (2700K / Ang.120° / >80CRI  
24V) / 230V / Typ 1800 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

74 WHITE  
91 NUDE

**EURO €**

474  
474



**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000101

**EURO €**

95  
100

Possible shapes:


**MOO\_4064R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 19W (2700K / Ang.120° / >80CRI  
24V) / 230V / Typ 1800 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

74 WHITE  
91 NUDE

**EURO €**

400  
400


Ø 60mm drill on dropped ceiling  
Orificio Ø 60mm en falso techo


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000101

**EURO €**

95  
100

**MOOD**
**MOO\_4062S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 2x19W (2700K / Ang.120° / >80CRI  
24V) / 230V / Typ 2x1800 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

74 WHITE  
91 NUDE

**EURO €**



1038  
1038

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver 2 units of 671000101

**EURO €**

95  
200


**MOO\_4062R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 2x19W (2700K / Ang.120° / >80CRI  
24V) / 230V / Typ 2x1800 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

74 WHITE  
91 NUDE

**EURO €**

927  
927



Ø 60mm drill on dropped ceiling  
Orificio Ø 60mm en falso techo


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 2 units of 671000101

**EURO €**

95  
200


**MOO\_L92S2D - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 4x19W (2700K / Ang.120° / >80CRI  
24V) / 230V / Typ 4x1800 lumens  
Driver included / Dimmable 0-10V

**FINISHES / ACABADOS**

74 WHITE  
91 NUDE

**EURO €**

1795  
1795

**Other dimming options**







CASAMBI for TRIAC driver (remote) 671000003  
DALI driver 4 units of 671000101

**EURO €**

95  
400

## MOOD

## MOO\_4063S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 277V / Typ 3x1800 lumens  
Driver included / Dimmable 0-10V

## FINISHES / ACABADOS

74 WHITE  
91 NUDE

## EURO €


1619  
1619

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver 3 units of 671000101

## EURO €

95  
300



## MOO\_4063R - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 3x19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 277V / Typ 3x1800 lumens  
Remote driver included / Dimmable 0-10V

## FINISHES / ACABADOS

74 WHITE  
91 NUDE

## EURO €

1508  
1508


 Ø 65mm drill on dropped ceiling  
Orificio Ø 65mm en falso techo

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 3 units of 671000101

## EURO €

95  
300



## MOO\_L92S1D1T - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 5x19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 277V / Typ 5x1800 lumens  
Driver included / Dimmable 0-10V

## FINISHES / ACABADOS

74 WHITE  
91 NUDE

## EURO €

2508  
2508

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver 5 units of 671000101

## EURO €

95  
500

## MOO\_L92S2T - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 6x19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 277V / Typ 6x1800 lumens  
Driver included / Dimmable 0-10V

## FINISHES / ACABADOS

74 WHITE  
91 NUDE

## EURO €

3008  
3008



## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver 6 units of 671000101

## EURO €

95  
600

**MOOD**
**MOO\_4066**

40 mm  
1.5/8"

Ø 270 mm  
Ø 10.5/8"

3000 mm  
118.1/8"

3500 mm  
137.3/4"

**FEATURES / CARACTERÍSTICAS**

\* LED 19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 240V / Typ 1800 lumens  
Push button dimmer on the cord  
Universal plug

**FINISHES / ACABADOS**



74 WHITE  
91 NUDE

**EURO €**

334  
334

**MOOD**
**MOO\_4060 - FLAT WALL SUPPORT**

9 mm  
3/8"

Ø 43 mm  
Ø 1.3/4"

Ø 270 mm  
Ø 10.5/8"

3000 mm  
118.1/8"

3500 mm  
137.3/4"

40 mm  
1.5/8"

**FEATURES / CARACTERÍSTICAS**

\* LED 19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 240V / Typ 1800 lumens  
Push button dimmer on the cord  
Universal plug  
Direct light

**FINISHES / ACABADOS**

74 WHITE  
91 NUDE

**EURO €**

361  
361

Ø 22 mm  
Ø 7/8"

16 mm  
5/8"



**124060262**

Cable holder to guide the cord  
Sujetacable para guiar cable

**EURO €**

20

**MOOD**
**MOO\_4061 - WALL SUPPORT STEM**

150 mm  
5.7/8"

Ø 270 mm  
Ø 10.5/8"

3000 mm  
118.1/8"

3500 mm  
137.3/4"

**FEATURES / CARACTERÍSTICAS**

\* LED 19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 240V / Typ 1800 lumens  
Push button dimmer on the cord  
Universal plug  
Direct or indirect light



**FINISHES / ACABADOS**

74 WHITE  
91 NUDE

**EURO €**

454  
454

Possible shapes:



MOOD

MOO\_4065 - CEILING SUPPORT

FEATURES / CARACTERÍSTICAS

\* LED 19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 240V / Typ 1800 lumens  
Push button dimmer on the cord  
Universal plug  
Direct or indirect light



FINISHES / ACABADOS

74 WHITE  
91 NUDE

EURO €

390  
390

Possible shapes:



MOOD

MOO\_4067 - TABLE SUPPORT

FEATURES / CARACTERÍSTICAS

\* LED 19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 240V / Typ 1800 lumens  
Push button dimmer on the cord  
Universal plug  
Direct or indirect light



FINISHES / ACABADOS

74 WHITE  
91 NUDE

EURO €

499  
499

Possible shapes:



MOOD

MOO\_4068 - FLOOR SUPPORT

FEATURES / CARACTERÍSTICAS

\* LED 19W (2700K / Ang.120° / >80CRI  
24V) / 100V - 240V / Typ 1800 lumens  
Push button dimmer on the cord  
Universal plug  
Direct or indirect light



FINISHES / ACABADOS


74 WHITE  
91 NUDE

EURO €

602  
602

Possible shapes:



**MORSE**
**MOR\_3915S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3x6,2W (2700K / Ang. 60° / >90 CRI 350mA) 230V / Typ 3x725 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

26 BLACK

**EURO €**  
1001

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver 671000092

**EURO €**  
95  
79


**123530XX3 (x3)**

3 units of embedded optic lens 30°  
3 unidades de la óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK

**EURO €**  
81


**MOR\_3915R - WITH RECESSED CANOPY**
**FEATURES / CARACTERÍSTICAS**

\* LED 3x6,2W (2700K / Ang. 60° / >90 CRI 350mA) 230V / Typ 3x725 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLACK

74 WHITE

Body: 26 BLACK

**EURO €**  
974

Ø 55mm drill on dropped ceiling  
Orificio Ø 55mm en falso techo

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000092

**EURO €**  
95  
79

**123530263 (x3)**

3 units of embedded optic lens 30°  
3 unidades de la óptica encastrada 30°

**FINISHES / ACABADOS**



26 BLACK

**EURO €**  
81

**123915002**


Union KIT for more than one Morse  
KIT unión para más de una Morse

**EURO €**  
18



## NIT

## NIT\_3520



## FEATURES / CARACTERÍSTICAS

\* LED 1W (3000K / Ang. 60° / >80 CRI / 350mA)  
100V - 240V / Typ 123 lumens  
On/Off switch  
2 Amp USB Charger  
Low ripple

## FINISHES / ACABADOS

26 BLACK  
74 WHITE


## EURO €

378  
378

Available until end of stock  
Disponible hasta agotar existencias

## OBS

## OBS\_3220



## FEATURES / CARACTERÍSTICAS

\* LED 15W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 1245 lumens  
Dimmable Triac

## FINISHES / ACABADOS

61 SATIN GOLD  
74 WHITE

## EURO €

319  
237

## Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

## EURO €

100

## PLUMA

## PLU\_2959



## FEATURES / CARACTERÍSTICAS

\* LED 13W (2700K / Ang. 120° / >80 CRI)  
E27 / Typ 1521 lumens / 230V  
Dimmable

## FINISHES / ACABADOS

Body: 26 BLACK MATT  
Shade: 64 BLACK SHINY

## EURO €

1957

## 122959000 - KIT T-2959

Bottom acrylic diffuser kit optional for black shade.


Kit difusor inferior de metacrilato, opcional para pantalla negra.

## EURO €

144

## REVOLTA

## REV\_3630



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
100V - 240V / Non Dimmable  
A-3630-W (2700K Typ 725 lumens)  
A-3630-M (3000K Typ 763 lumens)

## FINISHES / ACABADOS

Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

## EURO €

369

## Other dimming options

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

38  
95  
52

## 123530XX3


Embedded optic lens 30°  
Óptica encastrada 30°

## FINISHES / ACABADOS

26 BLACK  
61 SATIN GOLD

## EURO €

27  
28

**REVOLTA**
**REV 3635S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\*LED 6,2W (Ang. 60° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac

T-3635S-W (2700K Typ 725 lumens)  
T-3635S-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

**EURO €**

517

**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

95

52

**123635XX0 Acoustic panel**

$\alpha_w = 0,4$  (Sound absorption indicator)  
Ø 380 mm  
95% Virgin wool, 5% polyamide

**FINISHES / ACABADOS**

Acoustic Fabric Panel:  
75 BEIGE  
90 GREY  
95 GREEN

**EURO €**

298

298

298

Other finishes available, consult our offices

**123635XX0A Acoustic panel**

$\alpha_w = 0,25$  (Sound absorption indicator)  
Ø 380 mm  
60% recycled bottles (PET)

**FINISHES / ACABADOS**

Acoustic Foam Panel:  
26 BLACK

**EURO €**

125

Other finishes available, consult our offices

**123530XX3**

Embedded optic lens 30°  
Óptica encastrada 30°


**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

27

28

**REV 3635R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI 350mA) / 230V  
Remote driver included / Dimmable Triac

T-3635R-W (2700K Typ 725 lumens)  
T-3635R-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

**EURO €**

517

Ø 50mm drill on dropped ceiling  
Oficio Ø 50mm en falso techo


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

95

52

**123635XX0 Acoustic panel**

$\alpha_w = 0,4$  (Sound absorption indicator)  
Ø 380 mm  
95% Virgin wool, 5% polyamide

**FINISHES / ACABADOS**

Acoustic Fabric Panel:  
75 BEIGE  
90 GREY  
95 GREEN

**EURO €**

298

298

298

Other finishes available, consult our offices

**123635XX0A Acoustic panel**

$\alpha_w = 0,25$  (Sound absorption indicator)  
Ø 380 mm  
60% recycled bottles (PET)

**FINISHES / ACABADOS**

Acoustic Foam Panel:  
26 BLACK

**EURO €**

125

Other finishes available, consult our offices

**123530XX3**

Embedded optic lens 30°  
Óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD


**EURO €**

27

28

## REVOLTA

## REV 3636S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 2x6,2W (Ang. 60° / >90 CRI  
350mA) / 230V  
Driver included / Dimmable Triac

T-3636S-W (2700K Typ 2x725 lumens)  
T-3636S-M (3000K Typ 2x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

EURO €

689

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000092

EURO €

95

79

## 123636XX0 Acoustic panel

$\alpha_w = 0,4$  (Sound absorption indicator)  
Ø 600 mm  
95% Virgin wool, 5% polyamide

## FINISHES / ACABADOS

Acoustic Fabric Panel:  
75 BEIGE  
90 GREY  
95 GREEN

EURO €

416

416

416

Other finishes available, consult our offices

## 123636XX0A Acoustic panel

$\alpha_w = 0,25$  (Sound absorption indicator)  
Ø 600 mm  
60% recycled bottles (PET)

## FINISHES / ACABADOS

Acoustic Foam Panel:  
26 BLACK

EURO €

167

Other finishes available, consult our offices

## 123530XX3 (x2)

2 units of embedded optic lens 30°  
2 unidades de la óptica encastrada 30°

## FINISHES / ACABADOS


26 BLACK  
61 SATIN GOLD

EURO €

54

56

## REV 3636R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\*LED 2x6,2W (Ang. 60° / >90 CRI  
350mA) / 230V  
Remote driver included / Dimmable Triac

T-3636R-W (2700K Typ 2x725 lumens)  
T-3636R-M (3000K Typ 2x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

EURO €

689

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo



## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000092

EURO €

95

79

## 123636XX0 Acoustic panel

$\alpha_w = 0,4$  (Sound absorption indicator)  
Ø 600 mm  
95% Virgin wool, 5% polyamide

## FINISHES / ACABADOS

Acoustic Fabric Panel:  
75 BEIGE  
90 GREY  
95 GREEN

EURO €

416

416

416

Other finishes available, consult our offices

## 123636XX0A Acoustic panel

$\alpha_w = 0,25$  (Sound absorption indicator)  
Ø 600 mm  
60% recycled bottles (PET)

## FINISHES / ACABADOS

Acoustic Foam Panel:  
26 BLACK

EURO €

167

Other finishes available, consult our offices

## 123530XX3 (x2)

2 units of embedded optic lens 30°  
2 unidades de la óptica encastrada 30°


## FINISHES / ACABADOS

26 BLACK  
61 SATIN GOLD

EURO €

54

56

**REVOLTA**
**REV\_L73S2D - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 4x6,2W (Ang. 60° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac

W (2700K Typ 4x725 lumens)  
M (3000K Typ 4x763 lumens)

**Optional, not included:**

- Up to 2 acoustic panels 123636XX0X

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

**EURO €**

1402

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 2 units of 671000092

**EURO €**

95

158

**123530XX3 (x4)**

4 units of embedded optic lens 30°  
4 unidades de la óptica encastrada 30°


**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

108

112

**REVOLTA**
**REV\_L73S1S1D - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)  
M (3000K Typ 3x763 lumens)

**Optional, not included:**

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

**EURO €**

1230

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 671000092

**EURO €**

95

79

**123530XX3 (x3)**

3 units of embedded optic lens 30°  
3 unidades de la óptica encastrada 30°


**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

81

84

**REVOLTA**
**REV\_L92S1S1D - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)  
M (3000K Typ 3x763 lumens)

**Optional, not included:**

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

**EURO €**

1230

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 671000092

**EURO €**

95

79

**123530XX3 (x3)**

3 units of embedded optic lens 30°  
3 unidades de la óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD


**EURO €**

81

84

## REVOLTA

## REV\_L165S5D - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 10x6,2W (Ang. 60° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac

W (2700K Typ 10x725 lumens)  
M (3000K Typ 10x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

EURO €

3284

## Optional, not included:

- Up to 5 acoustic panels 123636XX0X

## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI driver 5 units of 671000092

EURO €

95

395

## 123530XX3 (x10)

10 units of embedded optic lens 30°  
10 unidades de la óptica encastrada 30°

## FINISHES / ACABADOS

26 BLACK  
61 SATIN GOLD


EURO €

270

280

## REVOLTA

## REV\_L40S1S1D - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)  
M (3000K Typ 3x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

EURO €

1173

## Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI driver 671000092

EURO €

95

79

## 123530XX3 (x3)

3 units of embedded optic lens 30°  
3 unidades de la óptica encastrada 30°

## FINISHES / ACABADOS

26 BLACK  
61 SATIN GOLD


EURO €

81

84

## REVOLTA

## REV\_R70S3S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)  
M (3000K Typ 3x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

EURO €

1706

## Optional, not included:

- Up to 3 acoustic panels 123635XX0X

## Other dimming options

CASAMBI for TRIAC driver 671000003  
DALI driver 671000092

EURO €

95

79

## 123530XX3 (x3)

3 units of embedded optic lens 30°  
3 unidades de la óptica encastrada 30°


## FINISHES / ACABADOS

26 BLACK  
61 SATIN GOLD

EURO €

81

84

**REVOLTA**
**REV\_R100S5S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 5x6,2W (Ang. 60° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac

W (2700K Typ 5x725 lumens)  
M (3000K Typ 5x763 lumens)

**Optional, not included:**

- Up to 3 acoustic panels 123635XX0X

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

**EURO €**

2827

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 2 units of 671000092

**EURO €**

95

158

**123530XX3 (x5)**

5 units of embedded optic lens 30°  
5 unidades de la óptica encastrada 30°


**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

135

140

**REVOLTA**
**REV\_3637**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
100V - 240V / Push button dimmer on the base

M-3637-W (2700K Typ 725 lumens)  
M-3637-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**

Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD

**EURO €**

600

**123530XX3**

Embedded optic lens 30°  
Óptica encastrada 30°


**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

27

28

**SHAPES**
**SHA\_4100**

**FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**

74 WHITE  
94 CHAMPAGNE  
87 BRONZE

**EURO €**

254

259

264

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
TRIAC Led DALI Dimmer (remote) 671000001

**EURO €**

95

100


**Signage**

Optional laser-cut signage / Minimum order 5 units  
Señalización opcional con láser / Pedido mínimo 5 unidades

**EURO €**

57

345



| TIK                                                                                               |          | TIK_4090X - OUTDOOR                                                                                                                                                                                                                |                                                                                                                                                                                                                                 |                                                                               |                                    |
|---------------------------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|------------------------------------|
|                                                                                                   | IP<br>65 | <b>FEATURES / CARACTERÍSTICAS</b><br>* LED 3W (2700K / Ang. 60° / >90CRI 24V) / 100V - 240V / Typ 300 lumens<br>Remote driver included / Non Dimmable<br>Non-adjustable tube enclosing light source<br>Tubo fijo con fuente de luz | <b>FINISHES / ACABADOS</b><br>88 GREY STONE<br>89 PALE GREEN<br>96 ANTHRACITE                                                                                                                                                   | <b>EURO €</b><br>329<br>329<br>329                                            |                                    |
| <b>Other dimming options</b><br>TRIAC driver (remote) 671000068<br>DALI driver (remote) 671000100 |          | <b>EURO €</b><br>47<br>62                                                                                                                                                                                                          |                                                                                                                                                                                                                                 |                                                                               |                                    |
| TIK_4090 - INDOOR                                                                                 |          |                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                 |                                                                               |                                    |
|                                                                                                   |          | IP<br>20                                                                                                                                                                                                                           | <b>FEATURES / CARACTERÍSTICAS</b><br>* LED 6,2W (2700K / Ang. 30° / >90CRI 300mA) / 230V / Typ 652 lumens<br>Driver included / Dimmable Triac<br>Non-adjustable tube enclosing light source<br>Tubo fijo con fuente de luz      | <b>FINISHES / ACABADOS</b><br>61 SATIN GOLD<br>88 GREY STONE<br>96 ANTHRACITE | <b>EURO €</b><br>407<br>318<br>318 |
| <b>Other dimming options</b><br>DALI driver (remote) 671000092                                    |          |                                                                                                                                                                                                                                    | <b>EURO €</b><br>79                                                                                                                                                                                                             |                                                                               |                                    |
| TIK                                                                                               |          |                                                                                                                                                                                                                                    | TIK_4091X - OUTDOOR                                                                                                                                                                                                             |                                                                               |                                    |
|                                                                                                   | IP<br>65 |                                                                                                                                                                                                                                    | <b>FEATURES / CARACTERÍSTICAS</b><br>* LED 2x3W (2700K / Ang. 60° / >90CRI 24V) / 230V / Typ 2x300 lumens<br>Remote driver included / Non Dimmable<br>Non-adjustable tube enclosing light source<br>Tubo fijo con fuente de luz | <b>FINISHES / ACABADOS</b><br>88 GREY STONE<br>89 PALE GREEN<br>96 ANTHRACITE | <b>EURO €</b><br>403<br>403<br>403 |
| <b>Other dimming options</b><br>TRIAC driver (remote) 671000063<br>DALI driver (remote) 671000100 |          |                                                                                                                                                                                                                                    | <b>EURO €</b><br>79<br>62                                                                                                                                                                                                       |                                                                               |                                    |
| TIK_4091 - INDOOR                                                                                 |          |                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                 |                                                                               |                                    |
|                                                                                                   |          | IP<br>20                                                                                                                                                                                                                           | <b>FEATURES / CARACTERÍSTICAS</b><br>* LED 2x3W (2700K / Ang. 30° / >90CRI 300mA) / 230V / Typ 2x350 lumens<br>Driver included / Dimmable Triac<br>Non-adjustable tube enclosing light source<br>Tubo fijo con fuente de luz    | <b>FINISHES / ACABADOS</b><br>61 SATIN GOLD<br>88 GREY STONE<br>96 ANTHRACITE | <b>EURO €</b><br>503<br>383<br>383 |
| <b>Other dimming options</b><br>DALI driver (remote) 671000092                                    |          |                                                                                                                                                                                                                                    | <b>EURO €</b><br>79                                                                                                                                                                                                             |                                                                               |                                    |
| TIK                                                                                               |          |                                                                                                                                                                                                                                    | TIK_4096X - OUTDOOR                                                                                                                                                                                                             |                                                                               |                                    |
|                                                                                                   | IP<br>65 |                                                                                                                                                                                                                                    | <b>FEATURES / CARACTERÍSTICAS</b><br>* LED 6,2W (2700K / Ang. 60° / >90 CRI 350mA) / 230V / Typ 725 lumens<br>Non dimmable / Hard wired (no plug)<br>Non-adjustable tube enclosing light source<br>Tubo fijo con fuente de luz  | <b>FINISHES / ACABADOS</b><br>88 GREY STONE<br>89 PALE GREEN<br>96 ANTHRACITE | <b>EURO €</b><br>383<br>383<br>383 |
| <b>Other dimming options</b><br>TRIAC driver (remote) 671000061<br>DALI driver (remote) 671000092 |          |                                                                                                                                                                                                                                    | <b>EURO €</b><br>38<br>79                                                                                                                                                                                                       |                                                                               |                                    |

| TIK |  | TIK_4097X - OUTDOOR |                                                                                                                                                                                              |                                                 |                   |
|-----|--|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-------------------|
|     |  | IP<br>65            | <b>FEATURES / CARACTERÍSTICAS</b>                                                                                                                                                            | <b>FINISHES / ACABADOS</b>                      | <b>EURO €</b>     |
|     |  |                     | * LED 6,2W (2700K / Ang. 60° / >90 CRI<br>350mA) / 230V / Typ 725 lumens<br>Non dimmable / Hard wired (no plug)<br>Non-adjustable tube enclosing light source<br>Tubo fijo con fuente de luz | 88 GREY STONE<br>89 PALE GREEN<br>96 ANTHRACITE | 387<br>387<br>387 |
|     |  |                     | <b>Other dimming options</b>                                                                                                                                                                 |                                                 |                   |
|     |  |                     | TRIAC driver (remote) 671000061<br>DALI driver (remote) 671000092                                                                                                                            |                                                 | 38<br>79          |

| TIK |  | TIK_4098X - OUTDOOR |                                                                                                                                                                                              |                                                 |                   |
|-----|--|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-------------------|
|     |  | IP<br>65            | <b>FEATURES / CARACTERÍSTICAS</b>                                                                                                                                                            | <b>FINISHES / ACABADOS</b>                      | <b>EURO €</b>     |
|     |  |                     | * LED 6,2W (2700K / Ang. 60° / >90 CRI<br>350mA) / 230V / Typ 725 lumens<br>Non dimmable / Hard wired [no plug]<br>Non-adjustable tube enclosing light source<br>Tubo fijo con fuente de luz | 88 GREY STONE<br>89 PALE GREEN<br>96 ANTHRACITE | 442<br>442<br>442 |
|     |  |                     | <b>Other dimming options</b>                                                                                                                                                                 |                                                 |                   |
|     |  |                     | TRIAC driver (remote) 671000061<br>DALI driver (remote) 671000092                                                                                                                            |                                                 | 38<br>79          |

|     |  |                     |                                                                                                                                                                                              |                                                 |                   |
|-----|--|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-------------------|
| TIK |  | TIK_4099X - OUTDOOR |                                                                                                                                                                                              |                                                 |                   |
|     |  | IP<br>65            | <b>FEATURES / CARACTERÍSTICAS</b>                                                                                                                                                            | <b>FINISHES / ACABADOS</b>                      | <b>EURO €</b>     |
|     |  |                     | * LED 6,2W (2700K / Ang. 60° / >90 CRI<br>350mA) / 230V / Typ 725 lumens<br>Non dimmable / Hard wired (no plug)<br>Non-adjustable tube enclosing light source<br>Tubo fijo con fuente de luz | 88 GREY STONE<br>89 PALE GREEN<br>96 ANTHRACITE | 466<br>466<br>466 |
|     |  |                     | <b>Other dimming options</b>                                                                                                                                                                 |                                                 |                   |
|     |  |                     | TRIAC driver (remote) 671000061<br>DALI driver (remote) 671000092                                                                                                                            | EURO €<br>38<br>79                              |                   |


| VOLTA |  | VOL_3530                                                                                                                                                                               |  |                                                                                                                                    |  |                                               |  |
|-------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------|--|
|       |  | <b>FEATURES / CARACTERÍSTICAS</b><br>* LED 6,2W (Ang. 60° / >90 CRI / 350mA)<br>100V - 240V / Non Dimmable<br><br>A-3530-W { 2700K Typ 725 lumens}<br>A-3530-M { 3000K Typ 763 lumens} |  | <b>FINISHES / ACABADOS</b><br>Body: 26 BLACK<br>Head: 26 BLACK<br>61 SATIN GOLD<br>Body & Head: 74 WHITE<br>Body & Head: 87 BRONZE |  | <b>EURO €</b><br><br>334<br>334<br>334<br>350 |  |
|       |  | <b>Other dimming options</b><br>TRIAC driver {remote} 671000061<br>CASAMBI for TRIAC driver {remote} 671000003<br>DALI driver {remote} 671000099                                       |  | <b>EURO €</b><br><br>38<br>95<br>52                                                                                                |  |                                               |  |



|  |  | 123530260 KIT A-3530                                                                                         |  |  |
|--|--|--------------------------------------------------------------------------------------------------------------|--|--|
|  |  | Cord & plug with on/off switch. 1400mm cable length.<br>Cable y enchufe con interruptor. 1400mm de longitud. |  |  |
|  |  | <b>EURO €</b><br>35                                                                                          |  |  |
|  |  | 123530XX3                                                                                                    |  |  |
|  |  | Embedded optic lens 30°<br>Óptica encastrada 30°                                                             |  |  |
|  |  | <b>FINISHES / ACABADOS</b><br>26 BLACK<br>61 SATIN GOLD<br>87 BRONZE                                         |  |  |
|  |  | <b>EURO €</b><br>27<br>28<br>27                                                                              |  |  |

## VOLTA

## VOL\_3531



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
100V - 240V / Non Dimmable

A-3531-W (2700K Typ 725 lumens)  
A-3531-M (3000K Typ 763 lumens)

## FINISHES / ACABADOS

Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

## EURO €

374  
374  
374

## Other dimming options

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

38  
95  
52

## 123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.  
Cable y enchufe con interruptor. 1400mm de longitud.

## EURO €

35

## 123530XX3

Embedded optic lens 30°  
Óptica encastrada 30°

## FINISHES / ACABADOS


26 BLACK  
61 SATIN GOLD

## EURO €

27  
28

## VOLTA

## VOL\_3533S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 30° / >90 CRI / 350mA)  
100V - 240V

Driver included / Non Dimmable  
Additional 80° optic lens included

VOL\_3533S-W (2700K Typ 725 lumens)  
VOL\_3533S-M (3000K Typ 763 lumens)

## FINISHES / ACABADOS

26 BLACK

## EURO €

225


## Other dimming options

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

38  
95  
52

## VOL\_3533R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 30° / >90 CRI / 350mA)  
230V

Remote driver included / Dimmable Triac  
Additional 80° optic lens included

VOL\_3533R-W (2700K Typ 725 lumens)  
VOL\_3533R-M (3000K Typ 763 lumens)

## FINISHES / ACABADOS

26 BLACK

## EURO €

172

Ø 55mm drill on dropped ceiling  
Orificio Ø 55mm en falso techo




## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

## EURO €

95  
52

**VOLTA**
**VOL\_3534S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
100V - 240V / Driver included / Non dimmable

T-3534S-W (2700K Typ 725 lumens)  
T-3534S-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

**EURO €**

304  
304  
304

**Other dimming options**

TRIAC driver (remote) 671000061  
CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

38  
95  
52

**123530XX3**


Embedded optic lens 30°  
Óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

27  
28

**VOL\_3534R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Remote driver included / Dimmable Triac

T-3534R-W (2700K Typ 725 lumens)  
T-3534R-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

**EURO €**

292  
292  
292

Ø 45mm drill on dropped ceiling  
Oficio Ø 45mm en falso techo


**Other dimming options**

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000099

**EURO €**

95  
52

**123530XX3**


Embedded optic lens 30°  
Óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

27  
28

**VOLTA**
**VOL\_L92S4S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 4x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

W (2700K Typ 4x725 lumens)  
M (3000K Typ 4x763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

**EURO €**

1146  
1146  
1146

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 2 units of 671000092

**EURO €**

95  
158

**123530XX3 (x4)**

4 units of embedded optic lens 30°  
4 unidades de la óptica encastrada 30°

**FINISHES / ACABADOS**


26 BLACK  
61 SATIN GOLD

**EURO €**

108  
112

## VOLTA

## VOL\_3535S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 2x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

T-3535S-W (2700K Typ 2x725 lumens)  
T-3535S-M (3000K Typ 2x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE  
Canopy & Body & Head:  
87 BRONZE

## EURO €

582  
582  
582  
592

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000092

## EURO €

95  
79

## 123530XX3 (x2)


2 units of embedded optic lens 30°  
2 unidades de la óptica encastrada 30°

## FINISHES / ACABADOS

26 BLACK  
61 SATIN GOLD  
87 BRONZE

## EURO €

54  
56  
54



## VOL\_3535R - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 2x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Remote Driver included  
Dimmable Triac

T-3535R-W (2700K Typ 2x725 lumens)  
T-3535R-M (3000K Typ 2x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

## EURO €

582  
582  
582


## Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo



## VOLTA

## VOL\_3536S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

T-3536S-W (2700K Typ 3x725 lumens)  
T-3536S-M (3000K Typ 3x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE  
Canopy & Body & Head:  
87 BRONZE

## EURO €

757  
757  
757  
784

## Other dimming options

CASAMBI for TRIAC driver (remote) 671000003  
DALI driver (remote) 671000092

## EURO €

95  
79

## 123530XX3 (x3)


3 units of embedded optic lens 30°  
3 unidades de la óptica encastrada 30°

## FINISHES / ACABADOS

26 BLACK  
61 SATIN GOLD  
87 BRONZE

## EURO €

81  
84  
81



## VOL\_3536R - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Remote Driver included  
Dimmable Triac

T-3536R-W (2700K Typ 3x725 lumens)  
T-3536R-M (3000K Typ 3x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE


## EURO €

757  
757  
757

## Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo



**VOLTA**
**VOL\_L73S2D - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 4x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

W (2700K Typ 4x725 lumens)  
M (3000K Typ 4x763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

**EURO €**

1188  
1188  
1188

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 2 units of 671000092

**EURO €**

95  
158

**123530XX3 (x4)**


4 units of embedded optic lens 30°  
4 unidades de la óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

108  
112

**VOLTA**
**VOL\_L78S1D1T - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 5x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

W (2700K Typ 5x725 lumens)  
M (3000K Typ 5x763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE  
Canopy & Body & Head:  
87 BRONZE

**EURO €**

1363  
1363  
1363  
1391

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 2 units of 671000092

**EURO €**

95  
158

**123530XX3 (x5)**


5 units of embedded optic lens 30°  
5 unidades de la óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD  
87 BRONZE

**EURO €**

135  
140  
135

**VOLTA**
**VOL\_L92S2T - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

W (2700K Typ 6x725 lumens)  
M (3000K Typ 6x763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

**EURO €**

1538  
1538  
1538

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 2 units of 671000092

**EURO €**

95  
158

**123530XX3 (x6)**

6 units of embedded optic lens 30°  
6 unidades de la óptica encastrada 30°

**FINISHES / ACABADOS**


26 BLACK  
61 SATIN GOLD

**EURO €**

162  
168

## VOLTA

## VOL\_L165S3D - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6x6,2W (Ang. 60° / >90 CRI / 350mA)  
 230V / Driver included / Dimmable Triac

W (2700K Typ 6x725 lumens)  
 M (3000K Typ 6x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 26 BLACK  
 Head: 26 BLACK  
 61 SATIN GOLD  
 Body & Head: 74 WHITE

## EURO €

1795  
 1795  
 1795

## Other dimming options

CASAMBI for TRIAC driver 671000003  
 DALI driver 3 units of 671000092

## EURO €

95  
 237

## 123530XX3 (x6)

6 units of embedded optic lens 30°  
 6 unidades de la óptica encastrada 30°

## FINISHES / ACABADOS


26 BLACK  
 61 SATIN GOLD

## EURO €

162  
 168

## VOLTA

## VOL\_L165S1T1D1T - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 8x6,2W (Ang. 60° / >90 CRI / 350mA)  
 230V / Driver included / Dimmable Triac

W (2700K Typ 8x725 lumens)  
 M (3000K Typ 8x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 26 BLACK  
 Head: 26 BLACK  
 61 SATIN GOLD  
 Body & Head: 74 WHITE

## EURO €

2145  
 2145  
 2145

## Other dimming options

CASAMBI for TRIAC driver 671000003  
 DALI driver 3 units of 671000092

## EURO €

95  
 237

## 123530XX3 (x8)

8 units of embedded optic lens 30°  
 8 unidades de la óptica encastrada 30°

## FINISHES / ACABADOS


26 BLACK  
 61 SATIN GOLD

## EURO €

216  
 224

## VOLTA

## VOL\_L165S1D2T - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 8x6,2W (Ang. 60° / >90 CRI / 350mA)  
 230V / Driver included / Dimmable Triac

W (2700K Typ 8x725 lumens)  
 M (3000K Typ 8x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 26 BLACK  
 Head: 26 BLACK  
 61 SATIN GOLD  
 Body & Head: 74 WHITE

## EURO €

2145  
 2145  
 2145

## Other dimming options

CASAMBI for TRIAC driver 671000003  
 DALI driver 3 units of 671000092

## EURO €

95  
 237

## 123530XX3 (x8)

8 units of embedded optic lens 30°  
 8 unidades de la óptica encastrada 30°

## FINISHES / ACABADOS


26 BLACK  
 61 SATIN GOLD

## EURO €

216  
 224

## VOLTA

## VOL\_L165S3D2T - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 12x6,2W (Ang. 60° / >90 CRI / 350mA)  
 230V / Driver included / Dimmable Triac

W (2700K Typ 12x725 lumens)  
 M (3000K Typ 12x763 lumens)

## FINISHES / ACABADOS

Canopy: 26 BLACK  
 74 WHITE  
 Body: 26 BLACK  
 Head: 26 BLACK  
 61 SATIN GOLD  
 Body & Head: 74 WHITE

## EURO €

3099  
 3099  
 3099

## Other dimming options

CASAMBI for TRIAC driver 671000003  
 DALI driver 5 units of 671000092

## EURO €

95  
 395

## 123530XX3 (x12)


12 units of embedded optic lens 30°  
 12 unidades de la óptica encastrada 30°

## FINISHES / ACABADOS

26 BLACK  
 61 SATIN GOLD

## EURO €

324  
 336

**VOLTA**
**VOL\_R70S3D - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 6x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

W (2700K Typ 6x725 lumens)  
M (3000K Typ 6x763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

**EURO €**

1901  
1901  
1901

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 3 units of 671000092

**EURO €**

95  
237

**123530XX3 (x6)**


6 units of embedded optic lens 30°  
6 unidades de la óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

162  
168

**VOLTA**
**VOL\_R100S5D - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 10x6,2W (Ang. 60° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

W (2700K Typ 10x725 lumens)  
M (3000K Typ 10x763 lumens)

**FINISHES / ACABADOS**

Canopy: 26 BLACK  
74 WHITE  
Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

**EURO €**

3152  
3152  
3152

**Other dimming options**

CASAMBI for TRIAC driver 671000003  
DALI driver 5 units of 671000092

**EURO €**

95  
395

**123530XX3 (x10)**


10 units of embedded optic lens 30°  
10 unidades de la óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

270  
280

**VOLTA**
**VOL\_3537**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI  
350mA) / 230V  
On/Off switch on the base

M-3537-W (2700K Typ 725 lumens)  
M-3537-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**

Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

**EURO €**

384  
384  
384

**123530XX3**


Embedded optic lens 30°  
Óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

27  
28

**VOLTA**
**VOL\_3538**

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 60° / >90 CRI  
350mA) / 230V  
Push button dimmer on the head

p-3538-W (2700K Typ 725 lumens)  
p-3538-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**

Body: 26 BLACK  
Head: 26 BLACK  
61 SATIN GOLD  
Body & Head: 74 WHITE

**EURO €**

503  
503  
503

**123530XX3**

Embedded optic lens 30°  
Óptica encastrada 30°

**FINISHES / ACABADOS**

26 BLACK  
61 SATIN GOLD

**EURO €**

27  
28

**GENERAL TERMS OF SALE**  
**CONDICIONES GENERALES DE VENTA**

## GENERAL TERMS OF SALE

### 1. Terms

Sales of our products are subject to present general conditions, which prevail over any other terms of purchase, unless there is a formal written agreement between Estiluz and the client.

### 2. Prices

All prices published in the Price List are recommended retail prices without taxes. Bulbs are not included with the exception of the items marked accordingly.

### 3. Project Registration

For the protection of our distributors and agents, all projects should be registered with our Estiluz office.

### 4. Discounts

The standard discount granted to a distributor does not apply in case of projects registered by another distributor or agent. The distributor shall contact Estiluz to inquiry about these projects and ask for pricing

### 5. Special Orders

All orders including non-standard products must be pre-paid at the confirmation of the order.

### 6. Terms

All past due invoices are subject to interest penalties at current legal rates.

### 7. Transportation

- Spain and Portugal (Peninsula and Balears):  
Freight allowed on all orders equal or above 500€ net before taxes when the goods are shipped to the dealer or its client, provided the recipient is not a private addresses. For orders under 500€, net a fee of 15€ will be charged.

- Canarias, Formentera, Ceuta, Melilla, Madeira, Azores and delivery to private addresses:  
Shipping costs will be calculated individually.

- International:  
Freight due on all orders (FCA Barcelona or EXW). Estiluz will not be responsible for any damages that may occur during transit.

### 8. Order confirmations and cancellations

Orders must be sent in writing, either by mail, email or fax. Estiluz is not responsible for any mistakes on orders that have not been received in writing.

Orders will not be cancelled unless we receive notice from customer prior to shipment. Special orders cannot be cancelled.

### 9. Claims and returns

Estiluz will only accept claims filed within 15 days after shipment of merchandise.

Returned merchandise will not be accepted unless prior arrangements have been made with our Customer Service department. Handling and Repair fees will apply if the product is not received in perfect conditions and its original packaging.

All returns due to reasons for which Estiluz cannot be held responsible, will be charged 20% restocking fee and original freight.

### 10. Delivery

If the merchandise received is not in good condition or does not match the packing slip, it should be noted on the packing slip prior to signature. Estiluz should also receive a written notice in the following three days.

### 11. Property Rights

The merchandise will remain property of Estiluz until it is paid in full. Estiluz reserves the right to retrieve all unpaid goods without advanced notice.

If that is case, the client is responsible for all costs involved with the return and assume the risk of damage.

### 12. Warranty

Our manufactured products (except for bulbs) are guaranteed against any manufacturing defects for two years from date of delivery. The warranty is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto. This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

### 13. Modifications

Estiluz reserves the right to modify and/or discontinue any products illustrated in this Price list.

### 14. Disputes

Any disputes are subject to arbitration in equity in Barcelona, according to the Spanish law.

## CONDICIONES GENERALES DE VENTA

### 1. Validez

Las ventas de nuestros productos están sujetas a las presentes condiciones generales, que prevalecen sobre cualquier otra condición de compra, a menos que exista un pacto formal escrito entre Estiluz y su cliente.

### 2. Precios

Los precios estipulados en esta tarifa son precios recomendados de venta al público y no incluyen impuestos. Bombillas no incluidas excepto en los productos en los que así se indica.

### 3. Registro de proyectos

Para garantizar la protección del trabajo realizado por distribuidores y agentes, todos los proyectos deben ser registrados en nuestras oficinas.

### 4. Descuentos comerciales

El descuento habitual de un distribuidor puede no aplicarse en caso de proyectos registrados por otro distribuidor o representante. El distribuidor deberá ponerse en contacto con Estiluz para obtener el precio neto de estos proyectos.

### 5. Pedidos especiales

Los pedidos con modificaciones del producto estándar deberán ser abonados en el momento de formalizar el pedido.

### 6. Pagos

La penalización por retraso en el pago aplicará la tasa de interés legal en vigor.

### 7. Transporte

- España y Portugal (Península y Baleares):

Estiluz se hará cargo de los portes en todos los pedidos por valor igual o superior a 500€ netos sin impuestos cuando el destino final sea el del distribuidor o el de su cliente siempre y cuando no sea un particular. En pedidos inferiores a 500€ netos se facturará un importe de 15€.

- Canarias, Formentera, Ceuta, Melilla, Madeira, Azores y entregas a particulares:

El coste se calculará para cada pedido.

- Internacional:

Todos los pedidos serán a portes debidos (FCA Barcelona o EXW Factory). Estiluz no se hace responsable de las incidencias que pudieran ocurrir durante el transporte.

### 8. Formalización de pedidos y anulación

Los pedidos deben ser formalizados por escrito, ya sea por correo, email o fax. Estiluz no se hará responsable de ningún error producido en pedidos que no hayan sido formalizados por escrito.

No consideramos anulado ningún pedido sin previo aviso por parte de nuestros clientes, anterior a la salida de la mercancía de nuestras instalaciones. Los pedidos de productos especiales y modificaciones no se pueden anular.

### 9. Reclamaciones i devoluciones

Se atenderán las que se reciban por escrito, en un período de 15 días des de la entrega de la mercancía.

No se admiten devoluciones sin nuestra autorización previa, reservándonos el derecho de rechazarlas si nos llegan a portes debidos y con embalaje insuficiente. Si el producto no está en perfectas condiciones, nos reservamos el derecho de facturar los gastos de gestión y reparación.

Aquellas devoluciones sin causa justificada o por motivos ajenos a Estiluz recibirán un recargo de gestión del 20%. Portes a cargo del cliente.

### 10. Entrega

Si la mercancía no llega al cliente en buenas condiciones o no coincide con el albarán de entrega, se deberá hacer constar en el albarán del transportista en el momento de la firma e informar a Estiluz en el transcurso máximo de los tres días siguientes mediante correo, email o fax.

### 11. Cláusula de reserva de la propiedad

La mercancía permanece propiedad de Estiluz hasta que haya sido pagada íntegramente. La negativa de pago puede derivar en la solicitud de devolución de los bienes por parte de la empresa.

En este caso, el comprador asumirá todos los costes y riesgos derivados del envío.

### 12. Garantía

Nuestros productos (excepto bombillas) tienen una garantía de dos años desde la fecha de entrega al cliente, ante cualquier defecto o error de funcionamiento, siempre y cuando se les haya dado un uso apropiado y se hayan respetado las condiciones de utilización marcadas en el aparato.

### 13. Modificaciones

Estiluz se reserva el derecho de modificar y/o anular los modelos de la presente tarifa.

### 14. Disputas

En caso de litigio, ambas partes se someterán a la jurisdicción de los tribunales de Barcelona.

ESTILUZ (Headquarters) / Carretera d'Ogassa s/n  
E- 17860 St Joan de les Abadesses (Girona) Spain  
T +34 972 720 125  
estiluz@estiluz.com

**[www.estiluz.com](http://www.estiluz.com)**

**estiluz®**