

Export price list Tarifa nacional

20 26

MARCH 1st

Recommended price list without VAT.

* This price list supersedes the previous ones and includes new models and technical modifications.

1 MARZO

Precios recomendados venta público sin IVA.

* Esta tarifa anula las anteriores e incluye nuevos modelos y modificaciones técnicas.

Due to constant changes in LED technology, please check our web for current product specifications.

Lumens on LED's indicate the lumen output without diffuser.

Debido a los constantes cambios en la tecnología LED, por favor visite nuestra web para conocer las especificaciones actuales.

Los lúmenes indicados son de salida sin difusor

www.estiluz.com

estiluz[®]

ALPHABETIC INDEX / ÍNDICE ALFABÉTICO

A		M	
Alfi	05	Maine	43
Arco	08	Mood	44
Aro	10	Morse	48
B		N	
Balloon	11	Nit	49
Belt	11	O	
Bols	20	Obs	49
C		P	
Canut	22	Pluma	49
Circ	22	R	
Compass	29	Revolta	49
Cupolina	33	S	
Cyls	34	Shapes	54
E		T	
Eclipsi	35	Thales	55
F		Tik	57
Flow	36	V	
Frame	37	Volta	58
G		General terms of sale	
Gada	39	65	
I			
Icons	40		
L			
Laverd	40		
Loop	42		
Lune	43		

FINISHES / ACABADOS

20	Metallic Gold, RAL 1036 / Oro mate, RAL 1036
26	Black matt, RAL 9005 / Negro mate, RAL 9005
37	Brushed nickel / Níquel
45	Metallic Copper / Cobre mate
55	Beige, RAL 1019 / Beige, RAL 1019
59	Terracotta NCS S 4030-Y80R / Terracota NCS S 4030-Y80R
61	24 carat satin gold / Oro 24 q. Satinado
74	White satin, RAL 9002 / Blanco lacado satinado, RAL 9002
87	Bronze NCS S 8005-Y20R / Bronce NCS S 8005-Y20R
88	Grey Stone, RAL 7039 / Piedra gris, RAL 7039
89	Pale Green, RAL 7033 / Verde pálido, RAL 7033
91	Nude NCS S 0804-Y90R / Rosa pálido NCS S 5010-Y90R
93	Grey-limestone, RAL 7013 / Gris pardo, RAL 7013
94	Champagne RAL 1035 / Champán RAL 1035
96	Anthracite RAL 7021 / Antracita RAL 7021
XX	Code according to colour / Código según color

SHADES / PANTALLAS

26	Black screen / Screen negro
27	White screen / Screen blanco
50	Marble textured vinyl / Vinilo texturizado Mármol
51	Concrete textured vinyl / Vinilo texturizado Hormigón
52	Wood textured vinyl / Vinilo texturizado Madera
64	Black acrylic, glossy / Metacrilato negro brillante

ACCESSORIES / ACCESORIOS

00	Incoloro / Colourless
23	Smoked Grey / Gris fumé
26	Black matt, RAL 9005 / Negro mate, RAL 9005
55	Beige, RAL 1019 / Beige, RAL 1019
65	Smoked Bronze / Bronce fumé
74	White satin, RAL 9002 / Blanco sat., RAL 9002
75	Beige / Beige
90	Grey / Gris
95	Green / Verde
97	Light grey / Gris claro

SYMBOLS / SÍMBOLOS

*	Bulbs included / Bombillas incluidas
■ ■ ■ ■ ■	Dimmer on the lamp / Regulador integrado
⊕	Secondary bulb / Bombilla secundaria

We can customize our products in any ESTILUZ finish.
Check availability.

Podemos personalizar nuestros productos en cualquier
acabado ESTILUZ. Compruebe la disponibilidad

CONFIGURATOR FOR SUSPENSIONS CLUSTERS

Create / Visualize / Share

Crea / Visualiza / Comparte

1. Create / Crea

- **Create your own design**
- **Combine shapes, heights, finishes and colors**
- **Collections: Belt, Volta, Revolta, Loop, Thales, Flow, Alfi**
- Crea tu propio diseño
- Combina formas, alturas, acabados y colores
- Colecciones: Belt, Volta, Revolta, Loop, Thales, Flow, Alfi

2. Visualize / Visualiza

- **Visualize it in 3D or Augmented Reality (AR)**
- **Preview your design in a virtual room or place it in your real space using your mobile device.**
- Visualízalo en 3D o Realidad Aumentada (AR)
- Explora tu diseño en una habitación virtual o en tu espacio real desde tu móvil o tablet.

3. Share / Comparte

- **Save, download and share.**
- **Generate a technical PDF, request a quote and share it with your team.**
- Guarda, descarga y comparte.
- Genera un PDF técnico, solicita presupuesto y compártelo con tu equipo.

Start now at / Empieza ahora en

<https://configurator.estiluz.com>

Scan the QR code to access to the configurator

Escanea el código QR para acceder al configurador




Explore without limits. Create without barriers. Shape the light with Estiluz.

Explora sin límites. Crea sin barreras. Dale forma a la luz con Estiluz.

ALFI

ALF_3740S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI
350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

222
228


Other dimming options

TRIAC Driver (remote) 671000076
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

20
97
53

ALF_3740R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI
350mA) / 230V / Typ 350 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

218
225

Ø40 mm drill on dry wall
Orificio Ø40 mm en pared de pladur

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

97
53

ALFI

ALF_3740AS - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI
350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

260
274


Other dimming options

TRIAC Driver (remote) 671000076
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

20
97
53

ALF_3740AR - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI
350mA) / 230V / Typ 350 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

256
271

Ø40 mm drill on dry wall
Orificio Ø40 mm en pared de pladur

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

97
53

ALFI

ALF_3740A1S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €


260
274

Other dimming options

TRIAC Driver (remote) 671000076
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

20
97
53



ALF_3740A1R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 230V / Typ 350 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

256
271

Ø40 mm drill on dry wall
Orificio Ø40 mm en pared de pladur

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

97
53

ALFI

ALF_3741R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 230V / Typ 350 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

370
382

Ø40 mm drill on dry wall
Orificio Ø40 mm en pared de pladur

Minimum order 13 units
Pedido mínimo 13 unidades

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

97
53

ALFI

ALF_3744S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V) 100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

347
358

Other dimming options

TRIAC Driver (remote) 671000068
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000100

EURO €

48
97
63

ALF_3744R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V) 230V / Typ 300 lumens
Remote driver included / Non Dimmable (Dimmable Triac upon request for min. 3 units)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
20 METALLIC GOLD

EURO €

346
354

Ø60 mm drill on dropped ceiling
Orificio Ø60mm en falso techo

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000100


EURO €

97
63


ALFI

ALF_3744AS - WITH SURFACE CANOPY

T-3744AS



T-3744AR



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

385
404

Other dimming options

TRIAC Driver (remote) 671000068
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000100

EURO €

48
97
63

ALF_3744AR - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
230V / Typ 300 lumens
Remote driver included / Non Dimmable
(Dimmable Triac upon request for min. 3 units)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
20 METALLIC GOLD

EURO €

384
400

Ø60 mm drill on dropped ceiling
Oficio Ø 60mm en falso techo

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000100

EURO €

97
63

ALFI

ALF_L92S4 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x3W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 4x300 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

1287
1383

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 671000101

EURO €

97
102

ALFI

ALF_R40S3A - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x3W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 3x300 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

1215
1359

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 671000101

EURO €

97
102

ALFI

ALF_R100S17 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 17x3W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 17x300 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLACK
20 METALLIC GOLD

EURO €

5229
5667

Other dimming options


CASAMBI for TRIAC driver 2 units of 671000003
DALI Driver 2 units of 671000101

EURO €

194
204

ARCO

ARC 4000X



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 1092 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 96 ANTHRACITE

EURO €
 642

Other dimming options
 DALI Driver (remote) 671000101

EURO €
 102

114002960


Surface mounted canopy with IP/65 junction box. Fits driver.
 Florón de superficie con caja de conexiones IP/65. Driver en el interior.

EURO €
 142

Direct light:



Indirect light:



ARC 4000X2


* LED 2x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 2x1092 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 96 ANTHRACITE


EURO €
 1273

Other dimming options
 DALI Driver (remote) 671000101

EURO €
 102



Possible shapes:



ARC 4000X3


* LED 3x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 3x1092 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 96 ANTHRACITE

EURO €
 1907

Other dimming options
 DALI Driver (remote) 671000108

EURO €
 52



ARCO

ARC_4002X

IP
65

FEATURES / CARACTERÍSTICAS


* LED 12W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 1092 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

96 ANTHRACITE

EURO €

554



Other dimming options

DALI Driver (remote) 671000101

EURO €


102

114002960


Surface mounted canopy with IP/65 junction box. Fits driver.
Florón de superficie con caja de conexiones IP/65 Driver en el interior.

EURO €





142



Three recommended installations for optimal design (1150 mm, 950mm, 750mm)



Possible shapes:



ARC_4002X2

FEATURES / CARACTERÍSTICAS

* LED 2x12W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 2x1092 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

96 ANTHRACITE

EURO €

1097

Other dimming options

DALI Driver (remote) 671000101

EURO €

102

ARC_4002X3

FEATURES / CARACTERÍSTICAS

* LED 3x12W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 3x1092 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

96 ANTHRACITE

EURO €


1643

Other dimming options


DALI Driver (remote) 671000108

EURO €

52




ARO **ARO_3541S - WITH SURFACE CANOPY**



FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens Driver included / Dimmable Triac	Canopy: 26 BLACK 74 WHITE Body: 26 BLACK	1307

Other dimming options	EURO €
CASAMBI for TRIAC driver (remote) 671000003	97
DALI Driver (remote) 671000101	102

ARO_3541R - WITH RECESSED CANOPY




FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens Remote driver included / Dimmable Triac	Canopy: 26 BLACK 74 WHITE Body: 26 BLACK	1232

Ø 60mm drill on dropped ceiling
Orificio Ø 60mm en falso techo


Other dimming options	EURO €
CASAMBI for TRIAC driver (remote) 671000003	97
DALI Driver (remote) 671000101	102

ARO **ARO_3542S - WITH SURFACE CANOPY**




FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 5x10W (2700K / Ang. 85° / >90 CRI / 24V) 100V - 277V / Typ 5x1106 lumens Driver included / Dimmable 0-10V	26 BLACK	2513

Other dimming options	EURO €
TRIAC Driver 671000104	143
CASAMBI for TRIAC driver 671000003	97
DALI Driver 671000105	79




123815262 Vegetation kit	FINISHES / ACABADOS	EURO €
Vegetation kit with artificial greenery included. Not waterproof. Maximum 30kg	26 BLACK	2087

ARO **ARO_3543S - WITH SURFACE CANOPY**



FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 7x10W (2700K / Ang. 85° / >90 CRI / 24V) 100V - 277V / Typ 7x1106 lumens Driver included / Dimmable 0-10V	26 BLACK	3231


Other dimming options	EURO €
TRIAC Driver 671000106	212
CASAMBI for TRIAC driver 671000003	97
DALI Driver 671000105	79



123815262 Vegetation kit	FINISHES / ACABADOS	EURO €
Vegetation kit with artificial greenery included. Not waterproof. Maximum 30kg	26 BLACK	2087

ARO

ARO_R40S1M1L - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 12x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 12x1106 lumens
Driver included / Dimmable 0-10V

FINISHES / ACABADOS

26 BLACK

EURO €

5336

Other dimming options

TRIAC Driver 1 unit of 671000104 + 1 unit of 671000106
CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000105

EURO €


355

97

158

BALLOON

BAL_3050



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 120V - 240V
On/Off Switch

FINISHES / ACABADOS

74 WHITE

EURO €

263

BAL_3050L

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 120V - 240V

FINISHES / ACABADOS

74 WHITE

EURO €


323

* LED 0,5W / E14 / 120V - 240V

Nightlight / 3-way switch

BALLOON

BAL_3052



FEATURES / CARACTERÍSTICAS

LED up to 20W
E27 / 120V - 240V
Dimmable when using dim. lamps

FINISHES / ACABADOS


74 WHITE

EURO €

260

BELT

BEL_4140MG



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Dimmable Triac

FINISHES / ACABADOS

89 PALE GREEN

94 CHAMPAGNE

96 ANTHRACITE

EURO €

461

473

453

BEL_4140-W (2700K Typ 725 lumens)

BEL_4140-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099


EURO €

97

53

BELT

BEL_4144S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 60° / >90 CRI / 350mA)
 230V / Driver included / Dimmable Triac

 BEL_4144S-W (2700K Typ 725 lumens)
 BEL_4144S-M (3000K Typ 763 lumens)


FINISHES / ACABADOS	EURO €
89 PALE GREEN	276
94 CHAMPAGNE	279
96 ANTHRACITE	272

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver (remote) 671000099

EURO €
97
53

BEL_4144R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 60° / >90 CRI / 350mA)
 230V / Remote driver included
 Dimmable Triac

 BEL_4144R-W (2700K Typ 725 lumens)
 BEL_4144R-M (3000K Typ 763 lumens)

FINISHES / ACABADOS	EURO €
Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	260
94 CHAMPAGNE	262
96 ANTHRACITE	257




Ø 45mm drill on dropped ceiling
 Orificio Ø 45mm en falso techo

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver (remote) 671000099

EURO €
97
53

BEL_4144SG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 70° / >90 CRI / 350mA)
 230V / Driver included / Dimmable Triac

 BEL_4144S-W (2700K Typ 725 lumens)
 BEL_4144S-M (3000K Typ 763 lumens)


FINISHES / ACABADOS	EURO €
89 PALE GREEN	359
94 CHAMPAGNE	362
96 ANTHRACITE	355

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver (remote) 671000099

EURO €
97
53

BEL_4144RG - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 70° / >90 CRI / 350mA)
 230V / Remote driver included
 Dimmable Triac

 BEL_4144R-W (2700K Typ 725 lumens)
 BEL_4144R-M (3000K Typ 763 lumens)

FINISHES / ACABADOS	EURO €
Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	343
94 CHAMPAGNE	345
96 ANTHRACITE	340



Ø 45mm drill on dropped ceiling
 Orificio Ø 45mm en falso techo


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver (remote) 671000099

EURO €
97
53

BELT

BEL_4145SS - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES / ACABADOS

89 PALE GREEN	338
94 CHAMPAGNE	344
96 ANTHRACITE	333


BEL_4145S-W (2700K Typ 725 lumens)
BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

97
53



BEL_4145RS - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

FINISHES / ACABADOS



Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	322
94 CHAMPAGNE	327
96 ANTHRACITE	318

BEL_4145R-W (2700K Typ 725 lumens)
BEL_4145R-M (3000K Typ 763 lumens)

Other dimming options same as above (remote)

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Possible shapes without glass shade:



BEL_4145SSG - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES / ACABADOS

89 PALE GREEN	421
94 CHAMPAGNE	427
96 ANTHRACITE	416


BEL_4145S-W (2700K Typ 725 lumens)
BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

97
53



BEL_4145RSG - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	405
94 CHAMPAGNE	410
96 ANTHRACITE	401

BEL_4145R-W (2700K Typ 725 lumens)
BEL_4145R-M (3000K Typ 763 lumens)

Other dimming options same as above (remote)


Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Possible shapes with glass shade:



BELT

BEL_4145SM - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
89 PALE GREEN	353
94 CHAMPAGNE	359
96 ANTHRACITE	347

BEL_4145S-W (2700K Typ 725 lumens)

BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003

DALI Driver (remote) 671000099

EURO €

97
53

BEL_4145RM - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
Canopy: 26 BLACK 74 WHITE	
Body: 89 PALE GREEN	337
94 CHAMPAGNE	342
96 ANTHRACITE	332


BEL_4145R-W (2700K Typ 725 lumens)

BEL_4145R-M (3000K Typ 763 lumens)


Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Other dimming options same as above (remote)

Possible shapes without glass shade:



BEL_4145SMG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
89 PALE GREEN	436
94 CHAMPAGNE	442
96 ANTHRACITE	430

BEL_4145S-W (2700K Typ 725 lumens)

BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003

DALI Driver (remote) 671000099

EURO €

97
53

BEL_4145RMG - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
Canopy: 26 BLACK 74 WHITE	
Body: 89 PALE GREEN	420
94 CHAMPAGNE	425
96 ANTHRACITE	415


BEL_4145R-W (2700K Typ 725 lumens)

BEL_4145R-M (3000K Typ 763 lumens)

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo


Other dimming options same as above (remote)

Possible shapes with glass shade:



BELT

BEL_4145SL - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
89 PALE GREEN	369
94 CHAMPAGNE	376
96 ANTHRACITE	363

BEL_4145S-W (2700K Typ 725 lumens)
BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

97
53


124145890 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof. Suitable for pendant with large metal shade.



EURO €

405



BEL_4145RL - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac


FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	353
94 CHAMPAGNE	359
96 ANTHRACITE	348

BEL_4145R-W (2700K Typ 725 lumens)
BEL_4145R-M (3000K Typ 763 lumens)


Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Possible shapes without glass shade:



Other dimming options same as above (remote)

BEL_4145SLG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
89 PALE GREEN	452
94 CHAMPAGNE	459
96 ANTHRACITE	446

BEL_4145S-W (2700K Typ 725 lumens)
BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

97
53


124145890 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof. Suitable for pendant with large metal shade.



EURO €

405



BEL_4145RLG - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	436
94 CHAMPAGNE	442
96 ANTHRACITE	431

BEL_4145R-W (2700K Typ 725 lumens)
BEL_4145R-M (3000K Typ 763 lumens)

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo


Possible shapes with glass shade:



Other dimming options same as above (remote)

BELT

BEL_L73S3SG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (Ang. 70° / >90 CRI
 350mA) 230V / Driver included
 Dimmable Triac

FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 1334
 1368
 1278

W (2700K Typ 3x725 lumens)
 M (3000K Typ 3x763 lumens)

Multi-color version available with white canopy
 Versión multi-color disponible con canopy blanco


Other dimming options

CASAMBI for TRIAC driver 671000003
 DALI Driver 671000092

EURO €
 97
 81

BELT

BEL_L73S2MG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 2x6,2W (Ang. 70° / >90 CRI
 350mA) 230V / Driver included
 Dimmable Triac

FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 1006
 1035
 952

W (2700K Typ 2x725 lumens)
 M (3000K Typ 2x763 lumens)


Multi-color version available with white canopy
 Versión multi-color disponible con canopy blanco

Other dimming options

CASAMBI for TRIAC driver 671000003
 DALI Driver 671000092


EURO €
 97
 81

Possible compositions shapes:



BELT

BEL_L92S3MG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (Ang. 70° / >90 CRI
 350mA) 230V / Driver included
 Dimmable Triac

FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 1379
 1413
 1320

W (2700K Typ 3x725 lumens)
 M (3000K Typ 3x763 lumens)

Multi-color version available with white canopy
 Versión multi-color disponible con canopy blanco


Other dimming options

CASAMBI for TRIAC driver 671000003
 DALI Driver 671000092

EURO €
 97
 81

BELT

BEL_L165S1G2SG1MG1L1LG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6x6,2W (Ang. 70° / >90 CRI
 350mA) 230V / Driver included
 Dimmable Triac

FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 2472
 2530
 2380

W (2700K Typ 6x725 lumens)
 M (3000K Typ 6x763 lumens)

Multi-color version available with white canopy
 Versión multi-color disponible con canopy blanco


Other dimming options

CASAMBI for TRIAC driver 671000003
 DALI Driver 2 units of 671000092

EURO €
 97
 162

BELT

BEL_R40S3G - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (Ang. 70° / >90 CRI
 350mA) 230V / Driver included
 Dimmable Triac

FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 1220
 1251
 1166

W (2700K Typ 3x725 lumens)
 M (3000K Typ 3x763 lumens)

Multi-color version available with white canopy
 Versión multi-color disponible con canopy blanco


Other dimming options

CASAMBI for TRIAC driver 671000003
 DALI Driver 671000092

EURO €
 97
 81

BELT

BEL_R40S2SG1MG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (Ang. 70° / >90 CRI
 350mA) 230V / Driver included
 Dimmable Triac

FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 1421
 1461
 1363

W (2700K Typ 3x725 lumens)
 M (3000K Typ 3x763 lumens)


Multi-color version available with white canopy
 Versión multi-color disponible con canopy blanco

Other dimming options

CASAMBI for TRIAC driver 671000003
 DALI Driver 671000092


EURO €
 97
 81

Possible compositions shapes:



BELT

BEL_R70S1M2MG1L2LG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6x6,2W (Ang. 70° / >90 CRI
 350mA) 230V / Driver included
 Dimmable Triac

FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 2747
 2831
 2636

W (2700K Typ 6x725 lumens)
 M (3000K Typ 6x763 lumens)

Multi-color version available with white canopy
 Versión multi-color disponible con canopy blanco


Other dimming options

CASAMBI for TRIAC driver 671000003
 DALI Driver 2 units of 671000092

EURO €
 97
 162

BELT

BEL_4147



FEATURES / CARACTERÍSTICAS
 * LED 6W (2700K / Ang. 70° / >90 CRI / 24V)
 230V / Typ 1026 lumens
 Touch dimmer on the cord
 Universal plug


FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 289
 292
 289



BELT

BEL_4148




FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 60° / >90 CRI
 350mA) 230V / Typ 725 lumens
 Push button dimmer on the head

FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 619
 635
 606

Upon request:
 (3000K / Typ 763 lumens)
 Check lead time + extra cost

BEL_4148G



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 70° / >90 CRI
 350mA) 230V / Typ 725 lumens
 Push button dimmer on the head


FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

EURO €
 702
 718
 689

Upon request:
 (3000K / Typ 763 lumens)
 Check lead time + extra cost

BELT

BEL_4149M



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 60° / >90 CRI 350mA) 230V / Typ 725 lumens
 Push button dimmer on the head


FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

FINISHES / ACABADOS	EURO €
89 PALE GREEN	696
94 CHAMPAGNE	715
96 ANTHRACITE	681

Upon request:

(3000K / Typ 763 lumens)
 Check lead time + extra cost

Possible shapes without glass shade:



BEL_4149MG

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) 230V / Typ 725 lumens
 Push button dimmer on the head


FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

FINISHES / ACABADOS	EURO €
89 PALE GREEN	779
94 CHAMPAGNE	798
96 ANTHRACITE	764

Upon request:


(3000K / Typ 763 lumens)
 Check lead time + extra cost

Possible shapes with glass shade:



BELT

BEL_4149L



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 60° / >90 CRI 350mA) 230V / Typ 725 lumens
 Push button dimmer on the head


FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

FINISHES / ACABADOS	EURO €
89 PALE GREEN	712
94 CHAMPAGNE	732
96 ANTHRACITE	697

Upon request:

(3000K / Typ 763 lumens)
 Check lead time + extra cost

Possible shapes without glass shade:



BEL_4149LG

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) 230V / Typ 725 lumens
 Push button dimmer on the head

FINISHES / ACABADOS
 89 PALE GREEN
 94 CHAMPAGNE
 96 ANTHRACITE

FINISHES / ACABADOS	EURO €
89 PALE GREEN	795
94 CHAMPAGNE	815
96 ANTHRACITE	780

Upon request:


(3000K / Typ 763 lumens)
 Check lead time + extra cost

Possible shapes with glass shade:



BOLS

BOL_4022X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

59 TERRACOTTA
96 ANTHRACITE

EURO €

962
962

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

97
102

BOLS

BOL_4023X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

55 BEIGE

EURO €

1061

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

97
102

BOLS

BOL_4024X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

59 TERRACOTTA
96 ANTHRACITE

EURO €

1068
1068

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

97
102

BOLS

BOL_4025X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

55 BEIGE

EURO €

1169

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

97
102

BOLS

BOL_4027X - OUTDOOR

IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Non Dimmable

FINISHES / ACABADOS

96 ANTHRACITE

EURO €
1102

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001


EURO €

97

102

TABLE KIT

124027962
Polypropylene flower
pot + metal table top
Maximum 3kg



FINISHES / ACABADOS

96 ANTHRACITE

EURO €

89

FLOWER POT KIT

124027963
Polypropylene flower pot
for natural vegetation
Maximum 5,5kg



FINISHES / ACABADOS

96 ANTHRACITE

EURO €

48

VEGETATION KIT

124027967
Artificial greenery + tray



FINISHES / ACABADOS

96 ANTHRACITE

EURO €

608

BOLT DOWN FLOOR BASE KIT
KIT ANCLAJE A SUELO

124027966
Metal base



FINISHES / ACABADOS


96 ANTHRACITE

EURO €

102

BOLS

BOL_4028X - OUTDOOR

IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Non Dimmable

FINISHES / ACABADOS

59 TERRACOTTA

96 ANTHRACITE

EURO €

1023

1023

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001


EURO €

97

102

TABLE KIT

124028XX2
Polypropylene flower
pot + metal table top
Maximum 5kg



FINISHES / ACABADOS

59 TERRACOTTA

96 ANTHRACITE


EURO €

114

114

FLOWER POT SET

Ø160mm
124028XX4
Includes 3 flower pots + tray



FINISHES / ACABADOS

59 TERRACOTTA

96 ANTHRACITE


EURO €

61

61

FLOWER POT SET

Ø180mm
124028XX5
Includes 3 flower pots + tray



FINISHES / ACABADOS

59 TERRACOTTA

96 ANTHRACITE

EURO €

65

65

VEGETATION KIT

124028XX7
Artificial greenery + tray



FINISHES / ACABADOS

59 TERRACOTTA

96 ANTHRACITE

EURO €

838

838

BOLT DOWN FLOOR BASE KIT
KIT ANCLAJE A SUELO

124027XX6
Metal base



FINISHES / ACABADOS

59 TERRACOTTA

96 ANTHRACITE


EURO €

102

102

CANUT

CAN_3571



FEATURES / CARACTERÍSTICAS

* LED 3W (3000K / Ang. 50° / >90 CRI
350mA) / 100V - 240V
Typ 350 lumens
Non Dimmable
On/Off switch for reading light (2 circuits)

FINISHES / ACABADOS

26 BLACK
74 WHITE

EURO €

333
333


Chrome swivel on all the finishes
Rótula cromada en todos los acabados



* LED 1W (3000K / Ang. 120° >80 CRI / 24V)
100V - 240V
Typ 150 lumens
Non Dimmable

CIRC

CIR_3702



IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

23 SMOKED GREY
65 SMOKED BRONZE

EURO €

414
414

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

CIRC

CIR_3704



IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

00 PLAIN

EURO €

526

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

CIRC

CIR_3706



IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

00 PLAIN

EURO €

534

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

CIR_3706A - WITH MISTING TREATMENT

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

00 PLAIN

EURO €

671

Mirror with misting treatment
Espejo con sistema anti vaho

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

CIRC

CIR_3714S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 120°
 >90 CRI / 350mA) / 230V
 Typ 725 lumens
 Driver included / Dimmable Triac
 Glass shade

FINISHES / ACABADOS
 Canopy: 26 BLACK
 74 WHITE
 Body: 61 SATIN GOLD
 26 BLACK
 87 BRONZE

EURO €
533
467
499

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver 671000099

EURO €
97
53

CIR_3714R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 120°
 >90 CRI / 350mA) / 230V
 Typ 725 lumens
 Remote driver included / Dimmable Triac
 Glass shade

FINISHES / ACABADOS
 Canopy: 26 BLACK
 74 WHITE
 Body: 61 SATIN GOLD
 26 BLACK
 87 BRONZE


EURO €
506
440
472

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling
 Orificio Ø 50mm en falso techo

CIRC

CIR_3715S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 2x6,2W (2700K / Ang. 120°
 >90 CRI / 350mA) / 230V
 Typ 2x725 lumens
 Driver included / Dimmable Triac
 Glass shade

FINISHES / ACABADOS
 Canopy: 26 BLACK
 74 WHITE
 Body: 61 SATIN GOLD
 26 BLACK
 87 BRONZE

EURO €
741
623
669

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver 671000092

EURO €
97
81

CIR_3715R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 2x6,2W (2700K / Ang. 120°
 >90 CRI / 350mA) / 230V
 Typ 2x725 lumens
 Remote driver included / Dimmable Triac
 Glass shade

FINISHES / ACABADOS
 Canopy: 26 BLACK
 74 WHITE
 Body: 61 SATIN GOLD
 26 BLACK
 87 BRONZE


EURO €
714
596
642

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling
 Orificio Ø 50mm en falso techo

CIRC

CIR_3716S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (2700K / Ang. 120°
 >90 CRI / 350mA) / 230V
 Typ 3x725 lumens
 Driver included / Dimmable Triac
 Glass shade

FINISHES / ACABADOS
 Canopy: 26 BLACK
 74 WHITE
 Body: 61 SATIN GOLD
 26 BLACK
 87 BRONZE

EURO €
1100
903
942

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver 671000092

EURO €
97
81

CIR_3716R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (2700K / Ang. 120°
 >90 CRI / 350mA) / 230V
 Typ 3x725 lumens
 Remote driver included / Dimmable Triac
 Glass shade


FINISHES / ACABADOS
 Canopy: 26 BLACK
 74 WHITE
 Body: 61 SATIN GOLD
 26 BLACK
 87 BRONZE

EURO €
1073
876
915

Other dimming options same as above (remote)

CIRC

CIR_3720 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES / ACABADOS

61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

324
285
299

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

CIR_3720B - BATHROOM

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES / ACABADOS

61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

343
302
317

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

CIR_3720X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS

26 BLACK
87 BRONZE

EURO €

306
321

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

Signage - IN & OUT


Optional laser-cut signage
Minimum order 10 units
Custom finishes available
Señalización opcional con láser
Pedido mínimo 10 unidades
Posibilidad de acabados especiales

FINISHES / ACABADOS

In & Out: 55 BEIGE
Indoor only: 94 CHAMPAGNE


EURO €

38
39



CIRC

CIR_3722 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES / ACABADOS

61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

379
347
364

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

CIR_3722X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS

26 BLACK
87 BRONZE

EURO €

329
347

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

CIRC

CIR_3726X - OUTDOOR



IP
67

FEATURES / CARACTERÍSTICAS

* LED 2,5W (3000K / Ang. 120° / >80 CRI)
5200mAh) 230V / Typ 290 lumens
Polyethylene shade

FINISHES / ACABADOS

In & Out: 26 BLACK
Indoor only: 61 SATIN GOLD


EURO €

298
316

Li on battery / Three position dimming / Remote control
Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

CIR_3727X - OUTDOOR



■■■■
IP
67

FEATURES / CARACTERÍSTICAS
* LED 2,5W (3000K / Ang. 120° / >80 CRI
5200mAh) 230V / Typ 290 lumens
Polyethylene shade


FINISHES / ACABADOS
In & Out: 26 BLACK
Indoor only: 61 SATIN GOLD

EURO €
345
389

Li on battery / Three position dimming / Remote control
Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

CIR_3728 - INDOOR




FEATURES / CARACTERÍSTICAS
* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES / ACABADOS
61 SATIN GOLD
26 BLACK

EURO €
624
478

DIMMABLE UPON REQUEST / REGULABLE BAJO PEDIDO
Push button dimmer on the cord

EURO €
160



83 mm 232 mm
3.1/4" 9.1/8"

CIR_3728X - OUTDOOR

IP
55


FEATURES
* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Non Dimmable
Polyethylene shade

FINISHES / ACABADOS
26 BLACK

EURO €
463

CIRC

CIR_3729 - INDOOR




FEATURES / CARACTERÍSTICAS
* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES / ACABADOS
61 SATIN GOLD
26 BLACK

EURO €
730
546

DIMMABLE UPON REQUEST / REGULABLE BAJO PEDIDO
Push button dimmer on the cord

EURO €
160



110 mm 325 mm
4.3/8" 12.3/4"

CIR_3729X - OUTDOOR

IP
55


FEATURES / CARACTERÍSTICAS
* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Non Dimmable
Polyethylene shade

FINISHES / ACABADOS
26 BLACK

EURO €
629

CIRC

CIR_3815S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

1359
1558


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092

EURO €

97
162

CP CIR_3815R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €


1246
1445

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC

CIR_3816S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Dimmable Triac / Glass shade

FINISHES / ACABADOS

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

2093
2462


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 3 units of 671000092

EURO €

97
243

CIR_3816R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €


1980
2349

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC

CIR_R30S1SP1MP - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 11x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 11x725 lumens
Dimmable Triac / Glass shade

FINISHES / ACABADOS

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

3249
3817


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 5 units of 671000092

EURO €

97
405

CIR_R12R1SP1MP - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 11x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 11x725 lumens
Dimmable Triac / Glass shade

FINISHES / ACABADOS

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €


3136
3704

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC

CIR_R3OS1MP1VK - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Driver included / Dimmable Triac
Glass shade


FINISHES / ACABADOS

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

4180
4549

Vegetation KIT with artificial greenery.
Not waterproof / Maximum 30kg




Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 3 units of 671000092

EURO €

97
243



CIR_R12R1MP1VK - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver / Dimmable Triac
Glass shade


FINISHES / ACABADOS

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

4067
4436

Vegetation KIT with artificial greenery.
Not waterproof / Maximum 30kg



Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 3 units of 671000092

EURO €

97
243

CIRC

CIR_R3OS1S1M - WITH SURFACE CANOPY



FEATURES

* LED 2x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 2x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €


762

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 671000092

EURO €

97
81



CIR_R12R1S1M - WITH RECESSED CANOPY

FEATURES

* LED 2x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 2x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €

649

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000092

EURO €

97
81

CIRC

CIR_R30S2S1M - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 3x725 lumens
Driver included / Dimmable Triac / Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €

1013

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 671000092

EURO €

97

81

CIR_R12R2S1M - WITH RECESSED CANOPY



FEATURES


* LED 3x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 3x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €


900

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo 

Other dimming options same as above (remote)

CIRC

CIR_R30S2S2M - WITH SURFACE CANOPY



FEATURES

* LED 4x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 4x725 lumens
Driver included / Dimmable Triac / Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €

1321

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092

EURO €

97

162

CIR_R12R2S2M - WITH RECESSED CANOPY



FEATURES


* LED 4x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €


1208

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo 

Other dimming options same as above (remote)

CIRC

CIR_R30S4S2M - WITH SURFACE CANOPY



FEATURES

* LED 6x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 6x725 lumens
Driver included / Dimmable Triac / Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €

1823

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092

EURO €

97

162

CIR_R12R4S2M - WITH RECESSED CANOPY



FEATURES


* LED 6x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 6x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €


1710

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo 

Other dimming options same as above (remote)

CIRC

CIR_3824S



FEATURES / CARACTERÍSTICAS

* LED 3x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 3x725 lumens
Driver included / Dimmable Triac
Glass shade and acoustic panel

FINISHES / ACABADOS

Canopy: 26 BLACK
Panels: 97 LIGHT GREY

EURO €

1435

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 671000092


EURO €

97

81

CIRC

CIR_3825S



FEATURES / CARACTERÍSTICAS

* LED 5x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 5x725 lumens
Driver included / Dimmable Triac
Glass shade and acoustic panel

FINISHES / ACABADOS

Canopy: 26 BLACK
Panels: 97 LIGHT GREY

EURO €

1876

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092


EURO €

97

162

CIRC

CIR_R12R4S - WITH RECESSED CANOPY



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €

1270

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 2 units of 671000092

EURO €


97

162

50mm drill on dry wall
Orificio Ø 50mm en pared de pladur

CIRC

CIR_R30S6S - WITH SURFACE CANOPY



FEATURES

* LED 6x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 6x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

26 BLACK

EURO €

1925

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092


EURO €

97

162

CIRC

123815263 - SUSPENSION FLOWER POT KIT



FEATURES / CARACTERÍSTICAS

Flower pot KIT for greenery in black anthracite polyethylene. Plants not included.
Waterproof / Maximum 1,5kg

FINISHES / ACABADOS

26 BLACK ANTHRACITE


EURO €

192

KIT de vegetación para plantas. Plantas no incluidas.
Maceta de polietileno negro antracita.
Resistente al agua / Máximo 1,5kg

COMPASS

COM_4070S



FEATURES / CARACTERÍSTICAS

* LED 3W (Ang.38° / >90CRI / 350mA)
100V - 240V / Non Dimmable

FINISHES / ACABADOS

26 BLACK

55 BEIGE

59 TERRACOTTA

EURO €

334

334

334

A-4070-W (2700K Typ 285 lumens)
A-4070-M (3000K Typ 367 lumens)

Other dimming options

TRIAC driver (remote) 671000076
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €


20

97

53

COMPASS

COM_4071S




FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 350mA)
 100V - 240V
 Driver included / Non Dimmable

FINISHES / ACABADOS

26 BLACK	381
55 BEIGE	381
59 TERRACOTTA	381

A-4071-W (2700K Typ 285 lumens)
 A-4071-M (3000K Typ 367 lumens)

Bathroom version IP44 upon request
 Versión para baño IP44 bajo pedido



Luminarie can be mounted off the center
 Se puede instalar en un punto de luz desplazado

Other dimming options


TRIAC driver (remote) 671000076
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €

20
97
53

COMPASS

COM_4072S



FEATURES / CARACTERÍSTICAS
 * LED 2x3W (Ang.38° / >90CRI / 350mA)
 100V - 240V
 Driver included / Non Dimmable

FINISHES / ACABADOS

26 BLACK	637
55 BEIGE	637
59 TERRACOTTA	637

A-4072-W (2700K Typ 2x285 lumens)
 A-4072-M (3000K Typ 2x367 lumens)

Other dimming options


TRIAC driver (remote) 671000076
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €

20
97
53

COMPASS

COM_4073R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 350mA)
 230V / Remote driver / Non Dimmable

FINISHES / ACABADOS

26 BLACK	262
55 BEIGE	262
59 TERRACOTTA	262

A-4073-W (2700K Typ 285 lumens)
 A-4073-M (3000K Typ 367 lumens)

Ø 60mm drill on dry wall
 Orificio Ø 60mm en pared de pladur

Other dimming options


TRIAC driver (remote) 671000076
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €

20
97
53

COMPASS

COM_4073S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 350mA)
 230V / Driver included / Non Dimmable

FINISHES / ACABADOS

26 BLACK	251
55 BEIGE	251
59 TERRACOTTA	251

A-4073-W (2700K Typ 285 lumens)
 A-4073-M (3000K Typ 367 lumens)

Other dimming options


TRIAC driver (remote) 671000076
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €

20
97
53


COMPASS

COM_4074S



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang.38° / >90CRI / 300mA)
 230V / Dimmable Triac
 T-4074-W (2700K Typ 625 lumens)
 T-4074-M (3000K Typ 652 lumens)

FINISHES / ACABADOS	EURO €
26 BLACK	332
55 BEIGE	332
59 TERRACOTTA	332



Can be mounted on the wall
 Se puede instalar en la pared


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver (remote) 6710000103

EURO €
97
45


COMPASS

COM_R21S2 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 2x6,2W (Ang.38° / >90CRI / 300mA)
 230V / Dimmable Triac
 T-4074-W (2700K Typ 2x625 lumens)
 T-4074-M (3000K Typ 2x652 lumens)

FINISHES / ACABADOS	EURO €
26 BLACK	738
55 BEIGE	738
59 TERRACOTTA	738



Scheme parameters / Parámetros esquema:
 Ceiling height / Altura techo = 2500mm
 Table length / Longitud mesa = 1800 - 2000mm
 Table width / Anchura mesa = 900mm

Consult spec sheets for other possible shapes
 Consultar ficha técnica para más formas



114074XX2R

Optional recessed canopy

Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo



EURO €
165


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver (remote) 6710000103

EURO €
97
45


COMPASS

COM_R21S4 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 4x6,2W (Ang.38° / >90CRI / 300mA)
 230V / Dimmable Triac
 T-4074-W (2700K Typ 4x625 lumens)
 T-4074-M (3000K Typ 4x652 lumens)

FINISHES / ACABADOS	EURO €
26 BLACK	1217
55 BEIGE	1217
59 TERRACOTTA	1217



Scheme parameters / Parámetros esquema:
 Ceiling height / Altura techo = 2500mm
 Table length / Longitud mesa = 2300 - 2600mm
 Table width / Anchura mesa = 900mm

Consult spec sheets for other shape possibilities
 Consultar ficha técnica para más formas



114074XX2R

Optional recessed canopy

Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo



EURO €
165


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver (remote) 2 units of 6710000103

EURO €
97
90

COMPASS

COM_R21S6 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS



* LED 6x6,2W (Ang.38° / >90CRI / 300mA)
230V / Dimmable Triac
T-4074-W (2700K Typ 6x625 lumens)
T-4074-M (3000K Typ 6x652 lumens)

FINISHES / ACABADOS

26 BLACK	169€
55 BEIGE	169€
59 TERRACOTTA	169€

Scheme parameters / Parámetros esquema:
Ceiling height / Altura techo = 2500mm
Table diameter / Diámetro mesa = 1600 - 2000mm

Consult spec sheets for other possible shapes
Consultar ficha técnica para más formas



114074XX2R

Optional recessed canopy



Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

EURO €
165


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 3 units of 6710000103

EURO €
97
135

COMPASS

COM_4077



FEATURES / CARACTERÍSTICAS

* LED 3W (Ang.38° / >90CRI / 24V)
100V - 240V / Push button dimmer on the cord
Universal plug


FINISHES / ACABADOS

26 BLACK	440€
55 BEIGE	440€
59 TERRACOTTA	440€

M-4077-W (2700K Typ 300 lumens)
M-4077-M (3000K Typ 330 lumens - check lead time)

COMPASS

COM_4078



FEATURES / CARACTERÍSTICAS

* LED 3W (Ang.38° / >90CRI / 24V)
100V - 240V / Push button dimmer on the cord
Universal plug


FINISHES / ACABADOS

26 BLACK	560€
55 BEIGE	560€
59 TERRACOTTA	560€

p-4078-W (2700K Typ 300 lumens)
p-4078-M (3000K Typ 330 lumens - check lead time)

COMPASS

COM_4079



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang.38° / >90CRI / 300mA)
100V - 240V / Push button dimmer on the cord
Universal plug


FINISHES / ACABADOS

26 BLACK	636€
55 BEIGE	636€
59 TERRACOTTA	636€

P-4079-W (2700K Typ 625 lumens)
P-4079-M (3000K Typ 652 lumens)

CUPOLINA

CUP_3930



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Shelf: maximum 2kg

FINISHES / ACABADOS

26 BLACK
59 TERRACOTTA

EURO €

390
429

Other dimming options


TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

39
97
53

CUPOLINA

CUP_3934S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non Dimmable

FINISHES / ACABADOS

26 BLACK
59 TERRACOTTA

EURO €


271
283

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

39
97
53



CUP_3934R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS


* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
59 TERRACOTTA

EURO €

259
265

 \varnothing 45mm drill on dropped ceiling
Orificio \varnothing 45mm en falso techo

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

97
53

CUPOLINA

CUP_3935



FEATURES / CARACTERÍSTICAS

* LED 6x6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 230V / Typ 6x725 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLACK

EURO €

1449

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver 2 units of 671000092

EURO €

97
162

CUPOLINA

CUP_3937



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES / ACABADOS


26 BLACK
59 TERRACOTTA

EURO €

398
427

CUPOLINA

CUP_3939



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES / ACABADOS


26 BLACK
59 TERRACOTTA

EURO €

646
695

CYLS

CYL_3900



FEATURES / CARACTERÍSTICAS

LED up to 10W / E14 / 230V
Dimmable When using dim. lamps

FINISHES / ACABADOS

26 BLACK

EURO €

139

100006400


LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €

15

CYLS

CYL_3906



FEATURES / CARACTERÍSTICAS


LED up to 20W / E27 / 230V
On/Off cord switch

FINISHES / ACABADOS

26 BLACK

EURO €

167



CYL_3906P

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WHITE
Body: 26 BLACK

EURO €

286

100019420


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

36

CYLS

CYL_3907



FEATURES / CARACTERÍSTICAS

LED up to 10W
E14 / 230V
On/Off cord switch

FINISHES / ACABADOS

26 BLACK

EURO €

306

100006400


LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €

15

CYLS

CYL_3908



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch

FINISHES / ACABADOS

26 BLACK

EURO €

528

CYL_3908P

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WHITE
Body: 26 BLACK

EURO €

647

100019420


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

36

ECLIPSI

ECL_3700



FEATURES / CARACTERÍSTICAS

* LED 2x10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x870 lumens
Dimmable Triac
Weight: 4,5Kg

FINISHES / ACABADOS

74 WHITE

EURO €

493

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000101

EURO €

102

Signage


Optional laser-cut signage / Minimum order 18 units
Señalización opcional con láser / Pedido mínimo 18 unidades

EURO €

38

ECLIPSI

ECL_3701



FEATURES / CARACTERÍSTICAS

* LED 2x15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x1245 lumens
Dimmable Triac
Weight: 8,5Kg

FINISHES / ACABADOS

74 WHITE

EURO €

670

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000101

EURO €

102

FLOW

FLO_3730



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non dimmable

FINISHES / ACABADOS

61 SATIN GOLD
26 BLACK

EURO €

348
307

Other dimming options


TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

39
97
53

FLOW

FLO_3734S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €


337
316

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

39
97
53



FLO_3734R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac


FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €


325
304

Other dimming options same as above (remote)

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo 

FLOW

FLO_3735S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €


359
337

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

39
97
53



FLO_3735R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac


FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK


EURO €

347
325

Other dimming options same as above (remote)

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo 

FLOW



FLO_3736S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €


363
347

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

39
97
53



FLO_3736R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €

351
331

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

97
53

FLOW



FLO_L92S4S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 3x725 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €

1276
1192

Up to 3 additional FLOW can be added
Posibilidad de añadir hasta 3 FLOW


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

97
162

FLOW



FLO_R40S3S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 3x725 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €

1052
989


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

97
81

FRAME



FRA_4050 - INDOOR

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Transparent pyrex glass

FINISHES / ACABADOS

87 BRONZE
96 ANTHRACITE

EURO €

263
258

Other dimming options


TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

39
97
53

FRAME

FRA_4051X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Transparent pyrex glass

FINISHES / ACABADOS

87 BRONZE
96 ANTHRACITE

EURO €
377
365

Other dimming options


TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €
39
97
53

Signage

Optional laser-cut signage / Minimum order 5 units
Señalización opcional con láser / Pedido mínimo 5 unidades

EURO €
58



32 mm
1.1/4"


124051960 VEGETATION KIT

KIT for greenery. Plants not included.
KIT de vegetación para plantas. Plantas no incluidas.

EURO €
34

FRAME

FRA_4053X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Transparent pyrex glass

FINISHES / ACABADOS

87 BRONZE
96 ANTHRACITE

EURO €
365
357


Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €
39
97
53

FRAME

FRA_4054X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass

FINISHES / ACABADOS

87 BRONZE
96 ANTHRACITE

EURO €
378
365


Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €
39
97
53

FRAME

FRA_4055X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass

FINISHES / ACABADOS

87 BRONZE
96 ANTHRACITE

EURO €
395
381


Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €
39
97
53

FRAME

FRA_4056X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
 Non Dimmable / Hard wired (no plug)
 Transparent pyrex glass

FINISHES / ACABADOS
 87 BRONZE
 96 ANTHRACITE

EURO €
 436
 418


Other dimming options

TRIAC driver (remote) 671000061
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €
 39
 97
 53

GADA

GAD_3921



FEATURES / CARACTERÍSTICAS
 * LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
 Dimmable Triac

FINISHES / ACABADOS
 Shade: 74 WHITE
 Textured vinyl shade:
 50 MARBLE
 51 CONCRETE
 52 WOOD

EURO €
 420
 474
 474
 474

Other dimming options

CASAMBI for TRIAC driver 671000003
 DALI driver 671000107

EURO €
 97
 49


Signage

Optional laser-cut signage / Minimum order 13 units
 Señalización opcional con láser / Pedido mínimo 13 unidades

EURO €
 38

GADA

GAD_3924S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
 Driver included / Dimmable Triac

FINISHES / ACABADOS
 Shade: 74 WHITE
 Textured vinyl shade:
 50 MARBLE
 51 CONCRETE
 52 WOOD


EURO €
 553
 606
 606
 606

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000107

EURO €
 97
 49


GAD_3924R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 Shade: 74 WHITE
 Textured vinyl shade:
 50 MARBLE
 51 CONCRETE
 52 WOOD

EURO €
 478
 531
 531
 531

Ø 55mm drill on dropped ceiling
 Orificio Ø 55mm en falso techo 


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000107

EURO €
 97
 49

GADA

GAD_3925S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 33W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 4725 lumens
 Driver included / Dimmable Triac

FINISHES / ACABADOS


Shade: 74 WHITE	EURO €
Textured vinyl shade:	681
50 MARBLE	740
51 CONCRETE	740
52 WOOD	740

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000108

EURO €

97
52



GAD_3925R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS
 * LED 33W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 4725 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Shade: 74 WHITE	EURO €
Textured vinyl shade:	606
50 MARBLE	665
51 CONCRETE	665
52 WOOD	665

Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000108

EURO €

97
52

GADA

GAD_3927




FEATURES / CARACTERÍSTICAS
 * LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
 On/Off switch on the base

FINISHES / ACABADOS

Shade: 74 WHITE	EURO €
Textured vinyl shade:	595
50 MARBLE	632
51 CONCRETE	632
52 WOOD	632

ICONS

ICO_1129



FEATURES / CARACTERÍSTICAS
 * Hal. up to 200W / 118mm / R7s base
 230V / Dimmable


FINISHES / ACABADOS

61 SATIN GOLD	EURO €
37 NICKEL	805
26 BLACK	720
	600

Compatible with Dimmable LED
 118mm / R7s base / 230V
 Not included

LAVERD

LAV_3805S



FEATURES / CARACTERÍSTICAS
 * LED 8x3W up + 8x3W down (2700K Ang. 60° / >90 CRI / 24V) 100V - 277V
 Typ 8x300 lumens up + 8x300 lumens down
 Driver included / Dimmable 0-10V
 Up and down light

FINISHES / ACABADOS

Canopy: 26 BLACK	EURO €
Body: 26 BLACK	2056
Head: 26 BLACK	2227
61 SATIN GOLD	


Other dimming options

DALI driver 671000105

EURO €

79

Possible shapes / compositions



LAVERD

LAV_3806S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS



* LED 12x3W up + 12x3W down (2700K
Ang. 60° / >90 CRI / 24V) 100V - 277V
Typ 12x300 lumens up + 12x300 lumens down
Driver included / Dimmable 0-10V
Up and down light

FINISHES / ACABADOS


Canopy: 26 BLACK
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

3260
3519



Possible shapes / compositions



LAVERD

LAV_R11S1S1M - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS



* LED 20x3W up + 20x3W down (2700K
Ang. 60° / >90 CRI / 24V) 100V - 277V
Typ 20x300 lumens up + 20x300 lumens down
Driver included / Dimmable 0-10V
Up and down light

FINISHES / ACABADOS


Canopy: 26 BLACK
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

5317
5747



Possible shapes / compositions



LAVERD

LAV_R11S1M1VK - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS



* LED 12x3W up + 12x3W down (2700K
Ang. 60° / >90 CRI / 24V) 100V - 277V
Typ 12x300 lumens up + 12x300 lumens down
Driver included / Dimmable 0-10V
Up and down light

FINISHES / ACABADOS

Canopy: 26 BLACK
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

5347
5606



Other dimming options


DALI driver 671000105

EURO €

79

LOOP

LOO_4120



FEATURES / CARACTERÍSTICAS

* LED 6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 1026 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
26 BLACK

EURO €

310
301

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000100

EURO €

97
63

LOOP

LOO_4125S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 1026 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
26 BLACK

EURO €

497
478


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000100

EURO €

97
63

LOO_4125R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 1026 lumens
Remote Driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 74 WHITE
26 BLACK
Body: 20 METALLIC GOLD
26 BLACK

EURO €

481
463

Ø 60mm drill on dropped ceiling
Orificio Ø 60mm en falso techo

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000100

EURO €

97
63

LOOP

LOO_L92S3 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 3x1026 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
26 BLACK

EURO €

1590
1472

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 671000101

EURO €

97
102

LOOP

LOO_L165S6 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6x6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 6x1026 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
26 BLACK

EURO €

3063
2836


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000101

EURO €

97
204

LOOP



LOO_R40S3 - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 3x1026 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
26 BLACK

EURO €

1685
1535


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000101

EURO €

97
102

LOOP



LOO_R70S6 - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6x6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 6x1026 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
26 BLACK

EURO €

3168
3042


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000101

EURO €

97
204

LUNE



LUN_3370 - OUTDOOR

IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

In & Out: 26 BLACK
74 WHITE
Indoor only: 61 SATIN GOLD

EURO €

371
371
422

Signage

Optional laser-cut signage / Minimum order 5 units
Señalización opcional con láser / Pedido mínimo 5 unidades

EURO €

58


Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

MAINE



MAI_3410

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 90° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac

FINISHES / ACABADOS

45 METALLIC COPPER
20 METALLIC GOLD

EURO €

291
291


Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

MAINE



MAI_3415S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 90° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 45 METALLIC COPPER
20 METALLIC GOLD

EURO €

383
383


Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

MAINE



MAI_R40S3 - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x10W (2700K / Ang. 90° / >90 CRI)
230V / Typ 3x870 lumens
Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Shade: 45 METALLIC COPPER
20 METALLIC GOLD

EURO €

1241
1241

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

102

MOOD

MOO_4064S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 1800 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €

483
483


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000101

EURO €

97
102

Possible shapes:



MOO_4064R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 1800 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €

408
408

Ø 60mm drill on dropped ceiling
Orificio Ø 60mm en falso techo

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000101

EURO €

97
102

MOOD

MOO_4062S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 2x1800 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €



1058
1058

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver 2 units of 671000101

EURO €

97
204



MOO_4062R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 2x19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 2x1800 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €

945
945



Ø 60mm drill on dropped ceiling
Orificio Ø 60mm en falso techo

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 2 units of 671000101

EURO €

97
204



MOO_L92S2D - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 4x19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 4x1800 lumens
Driver included / Dimmable 0-10V

FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €



1831
1831

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver 4 units of 671000101


EURO €

97
408



MOOD

MOO_4063S - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 3x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 3x1800 lumens
 Driver included / Dimmable 0-10V

FINISHES / ACABADOS
 74 WHITE
 91 NUDE


EURO €
 1651
 1651

Other dimming options
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver 3 units of 671000101


EURO €
 97
 306



∅ 270 mm
 ∅ 10.5/8"



MOO_4063R - WITH RECESSED CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 3x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 3x1800 lumens
 Remote driver included / Dimmable 0-10V

FINISHES / ACABADOS
 74 WHITE
 91 NUDE

EURO €
 1538
 1538


Other dimming options
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 3 units of 671000101

EURO €
 97
 306





 ∅ 65mm drill on dropped ceiling
 Orificio ∅ 65mm en falso techo

∅ 270 mm
 ∅ 10.5/8"



MOO_L92S1D1T - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 5x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 5x1800 lumens
 Driver included / Dimmable 0-10V


FINISHES / ACABADOS
 74 WHITE
 91 NUDE

EURO €
 2558
 2558

Other dimming options
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver 5 units of 671000101

EURO €
 97
 510

MOO_L92S2T - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 6x1800 lumens
 Driver included / Dimmable 0-10V

FINISHES / ACABADOS
 74 WHITE
 91 NUDE

EURO €
 3069
 3069


Other dimming options
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver 6 units of 671000101

EURO €
 97
 612


MOOD

MOO_4066

40 mm
1.5/8"



∅ 270 mm
∅ 10.5/8"



3000 mm
118.1/8"

3500 mm
137.3/4"



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug

FINISHES / ACABADOS

74 WHITE
91 NUDE


EURO €

341
341

MOOD


MOO_4060 - FLAT WALL SUPPORT

9 mm
3/8"



∅ 43 mm
∅ 1.3/4"

∅ 270 mm
∅ 10.5/8"



3000 mm
118.1/8"

3500 mm
137.3/4"

40 mm
1.5/8"



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct light

FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €

369
369



16 mm
5/8"
∅ 22 mm
∅ 7/8"

124060262

Cable holder to guide the cord
Sujetacable para guiar cable


EURO €

20

MOOD

MOO_4061 - WALL SUPPORT STEM


150 mm
5.7/8"



90°

90°

∅ 270 mm
∅ 10.5/8"



3000 mm
118.1/8"

3500 mm
137.3/4"



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct or indirect light



FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €


463
463

Possible shapes:



MOOD

MOO_4065 - CEILING SUPPORT



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct or indirect light


FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €


398
398

Possible shapes:



MOOD

MOO_4067 - TABLE SUPPORT



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct or indirect light


FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €


509
509

Possible shapes:



MOOD

MOO_4068 - FLOOR SUPPORT



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct or indirect light


FINISHES / ACABADOS

74 WHITE
91 NUDE

EURO €


614
614

Possible shapes:



MORSE

MOR_3915S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (2700K / Ang. 30° / >90 CRI 350mA) 230V / Typ 3x725 lumens
 Driver included / Dimmable Triac

FINISHES / ACABADOS
 26 BLACK
 94 CHAMPAGNE

EURO €
 1095
 Pending

Other dimming options
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver 671000092



EURO €
 97
 81

6700000100 (x3) - OPTIONAL
 3 units of acrylic optic lens 60°
 3 unidades de la óptica acrílica 60°


EURO €
 15

123915002
 Union KIT for more than one Morse
 KIT unión para más de una Morse

EURO €
 19



MOR_3915R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (2700K / Ang. 30° / >90 CRI 350mA) 230V / Typ 3x725 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLACK
 74 WHITE
 Body: 26 BLACK
 94 CHAMPAGNE

EURO €
 1068
 Pending

Ø 55mm drill on dropped ceiling
 Orificio Ø 55mm en falso techo

Other dimming options
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000092



EURO €
 97
 81

6700000100 (x3) - OPTIONAL
 3 units of acrylic optic lens 60°
 3 unidades de la óptica acrílica 60°

EURO €
 15

123915002
 Union KIT for more than one Morse
 KIT unión para más de una Morse

EURO €
 19



NIT		NIT_3520	
	FEATURES / CARACTERÍSTICAS * LED 1W (3000K / Ang. 60° / >80 CRI / 350mA) 100V - 240V / Typ 123 lumens On/Off switch 2 Amp USB Charger Low ripple	FINISHES / ACABADOS 26 BLACK 74 WHITE	EURO € 378
			Available until end of stock Disponible hasta agotar existencias


OBS		OBS_3220	
	FEATURES / CARACTERÍSTICAS * LED 15W (2700K / Ang. 120° / >90 CRI) 230V / Typ 1245 lumens Dimmable Triac	FINISHES / ACABADOS 61 SATIN GOLD 74 WHITE	EURO € 332
			Other dimming options TRIAC Led DALI Dimmer (remote) 671000001

PLUMA		PLU_2959	
	FEATURES / CARACTERÍSTICAS * LED 13W (2700K / Ang. 120° / >80 CRI) E27 / Typ 1521 lumens / 230V Dimmable	FINISHES / ACABADOS Body: 26 BLACK MATT Shade: 64 BLACK SHINY	EURO € 1996
			122959000 - KIT T-2959 Bottom acrylic diffuser kit optional for black shade. Kit difusor inferior de metacrilato, opcional para pantalla negra.

REVOLTA		REV_3630	
	FEATURES / CARACTERÍSTICAS * LED 6,2W (Ang. 60° / >90 CRI / 350mA) 100V - 240V / Non Dimmable A-3630-W (2700K Typ 725 lumens) A-3630-M (3000K Typ 763 lumens)	FINISHES / ACABADOS Body: 26 BLACK Head: 26 BLACK 61 SATIN GOLD	EURO € 376
			Other dimming options TRIAC driver (remote) 671000061 CASAMBI for TRIAC driver (remote) 671000003 DALI driver (remote) 671000099
123530XX3 - OPTIONAL Embedded optic lens 30° Óptica encastrada 30°		FINISHES / ACABADOS 26 BLACK 61 SATIN GOLD	EURO € 28 29

REVOLTA

REV 3635S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

*LED 6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy & Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

527

T-3635S-W (2700K Typ 725 lumens)
T-3635S-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

97
53

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
75 BEIGE
90 GREY
95 GREEN

EURO €

304
304
304

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)

FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLACK

EURO €

128

Other finishes available, consult our offices

123530XX3 - OPTIONAL

Embedded optic lens 30°
Óptica encastrada 30°


FINISHES / ACABADOS

26 BLACK
61 SATIN GOLD

EURO €

28
29

REV 3635R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

*LED 6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Remote driver included / Dimmable Triac


FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

527

T-3635R-W (2700K Typ 725 lumens)
T-3635R-M (3000K Typ 763 lumens)

Ø 50mm drill on dropped ceiling
Oficio Ø 50mm en falso techo 

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

97
53

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
75 BEIGE
90 GREY
95 GREEN

EURO €

304
304
304

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)

FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLACK

EURO €

128

Other finishes available, consult our offices

123530XX3 - OPTIONAL

Embedded optic lens 30°
Óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
61 SATIN GOLD

EURO €

28
29

REVOLTA

REV_3636S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 60° / >90 CRI
350mA) / 230V
Driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy & Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

703

T-3636S-W (2700K Typ 2x725 lumens)
T-3636S-M (3000K Typ 2x763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000092

EURO €

97

81

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
75 BEIGE 424
90 GREY 424
95 GREEN 424

EURO €

424

424

424

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)

FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLACK

EURO €

170

Other finishes available, consult our offices

123530XX3 (x2) - OPTIONAL

2 units of embedded optic lens 30°
2 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
61 SATIN GOLD

EURO €

56

58

REV_3636R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

*LED 2x6,2W (Ang. 60° / >90 CRI
350mA) / 230V
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

703

T-3636R-W (2700K Typ 2x725 lumens)
T-3636R-M (3000K Typ 2x763 lumens)

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000092

EURO €

97

81

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
75 BEIGE 424
90 GREY 424
95 GREEN 424

EURO €

424

424

424

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)

FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLACK

EURO €

170

Other finishes available, consult our offices

123530XX3 (x2) - OPTIONAL

2 units of embedded optic lens 30°
2 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK
61 SATIN GOLD


EURO €

56

58

REVOLTA

REV_L73S2D - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 4x725 lumens)
M (3000K Typ 4x763 lumens)

Optional, not included:

- Up to 2 acoustic panels 123636XX0X

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1431

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

97

162

123530XX3 (x4) - OPTIONAL

4 units of embedded optic lens 30°
4 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK
61 SATIN GOLD


EURO €

112

116

REVOLTA

REV_L73S1S1D - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1255

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

97

81

123530XX3 (x3) - OPTIONAL

3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK
61 SATIN GOLD


EURO €

84

87

REVOLTA

REV_L92S1S1D - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1255

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

97

81

123530XX3 (x3) - OPTIONAL

3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
61 SATIN GOLD

EURO €

84

87

REVOLTA



REV_L165S5D - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 10x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 10x725 lumens)
M (3000K Typ 10x763 lumens)

Optional, not included:

- Up to 5 acoustic panels 123636XX0X

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

3351

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 5 units of 671000092

EURO €

97

405

123530XX3 (x10) - OPTIONAL

10 units of embedded optic lens 30°
10 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
61 SATIN GOLD

EURO €

280

290

REVOLTA



REV_L40S1S1D - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1197

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

97

81

123530XX3 (x3) - OPTIONAL

3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
61 SATIN GOLD

EURO €

84

87

REVOLTA



REV_R70S3S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Optional, not included:

- Up to 3 acoustic panels 123635XX0X

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1739

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

97

81

123530XX3 (x3) - OPTIONAL

3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK
61 SATIN GOLD


EURO €

84

87

REVOLTA

REV_R100S5S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 5x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 5x725 lumens)
M (3000K Typ 5x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

2882

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

97
162

123530XX3 (x5) - OPTIONAL

5 units of embedded optic lens 30°
5 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
61 SATIN GOLD

EURO €

140
145

REVOLTA

REV_3637



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
100V - 240V / Push button dimmer on the base

M-3637-W (2700K Typ 725 lumens)
M-3637-M (3000K Typ 763 lumens)

FINISHES / ACABADOS

Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

612

123530XX3 - OPTIONAL

Embedded optic lens 30°
Óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
61 SATIN GOLD

EURO €

28
29

SHAPES

SHA_4100



FEATURES / CARACTERÍSTICAS

* LED 15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 1245 lumens
Dimmable Triac

FINISHES / ACABADOS

74 WHITE
94 CHAMPAGNE
87 BRONZE

EURO €

259
264
269

Signage

Optional laser-cut signage / Minimum order 5 units
Señalización opcional con láser / Pedido mínimo 5 unidades

EURO €

58

Other dimming options


CASAMBI for TRIAC driver 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

97
102

SHAPES

SHA_4100X



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 1000 lumens
Dimmable Triac

FINISHES / ACABADOS

96 ANTHRACITE
87 BRONZE

EURO €

365
375

Signage


Optional laser-cut signage / Minimum order 5 units
Señalización opcional con láser / Pedido mínimo 5 unidades

EURO €

58

SHAPES

SHA_4100.5



FEATURES / CARACTERÍSTICAS

* LED 5x15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 5x1245 lumens
Dimmable Triac

FINISHES / ACABADOS

Composition:
2 units of 94 CHAMPAGNE
3 units of 87 BRONZE

EURO €

1555

Other dimming options


CASAMBI for TRIAC driver 671000003
TRIAC Led DALI Dimmer (remote) 3 units of 671000001

EURO €

97
306

THALES

THA_4080

IP
44

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 120° / >90 CRI
350mA) / 230V / Typ 725 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

247
247
247

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000092




EURO €

97
81

THALES

THA_4085S - WITH SURFACE CANOPY

IP
20

FEATURES / CARACTERÍSTICAS

* LED 9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 1430 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS


20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

389
391
385

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000092



EURO €

97
81

THA_4085R - WITH RECESSED CANOPY

IP
20

FEATURES / CARACTERÍSTICAS

* LED 9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 1430 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE


EURO €

359
359
356

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000092




EURO €

97
81

THALES

THA_L73S3 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 3x1430 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

1224
1172
1143

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

97
243

THALES

THA_L92S3 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 3x1430 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

1224
1172
1143

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

97
243

THALES

BEL_L165S6 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 6x1430 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

2331
2229
2180

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 6 units of 671000092

EURO €

97
486

THALES

THA_R40S3 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 3x1430 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

1319
1237
1214

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

97
243

THALES

THA_R70S6 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 6x1430 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

2436
2445
2400

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 6 units of 671000092

EURO €

97
486

THALES

THA_4087



FEATURES / CARACTERÍSTICAS

* LED 9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 1430 lumens
On/Off cord switch

FINISHES / ACABADOS


20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

299
299
299

TIK		TIK_4090X - OUTDOOR	
	IP 65	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS
		<ul style="list-style-type: none"> * LED 3W (2700K / Ang. 60° / >90CRI 24V) / 100V - 240V / Typ 300 lumens Remote driver included / Non Dimmable Non-adjustable tube enclosing light source Tubo fijo con fuente de luz 	<ul style="list-style-type: none"> 88 GREY STONE 89 PALE GREEN 96 ANTHRACITE
			EURO €
			336
			336
			336


		Other dimming options	
		TRIAC driver (remote) 671000068	EURO €
		DALI driver (remote) 671000100	48
			63

TIK		TIK_4090 - INDOOR	
	IP 20	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS
		<ul style="list-style-type: none"> * LED 6,2W (2700K / Ang. 30° / >90CRI 300mA) / 230V / Typ 652 lumens Driver included / Dimmable Triac Non-adjustable tube enclosing light source Tubo fijo con fuente de luz 	<ul style="list-style-type: none"> 61 SATIN GOLD 88 GREY STONE 96 ANTHRACITE
			EURO €
			431
			324
			324


		Other dimming options	
		DALI driver (remote) 671000092	EURO €
			81

TIK		TIK_4091X - OUTDOOR	
	IP 65	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS
		<ul style="list-style-type: none"> * LED 2x3W (2700K / Ang. 60° / >90CRI 24V) / 230V / Typ 2x300 lumens Remote driver included / Non Dimmable Non-adjustable tube enclosing light source Tubo fijo con fuente de luz 	<ul style="list-style-type: none"> 88 GREY STONE 89 PALE GREEN 96 ANTHRACITE
			EURO €
			411
			411
			411

		Other dimming options	
		TRIAC driver (remote) 671000063	EURO €
		DALI driver (remote) 671000100	81
			63

TIK		TIK_4091 - INDOOR	
	IP 20	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS
		<ul style="list-style-type: none"> * LED 2x3W (2700K / Ang. 30° / >90CRI 300mA) / 230V / Typ 2x350 lumens Driver included / Dimmable Triac Non-adjustable tube enclosing light source Tubo fijo con fuente de luz 	<ul style="list-style-type: none"> 61 SATIN GOLD 88 GREY STONE 96 ANTHRACITE
			EURO €
			533
			391
			391


		Other dimming options	
		DALI driver (remote) 671000092	EURO €
			81

TIK		TIK_4096X - OUTDOOR	
	IP 65	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS
		<ul style="list-style-type: none"> * LED 6,2W (2700K / Ang. 60° / >90 CRI 350mA) / 230V / Typ 725 lumens Non dimmable / Hard wired (no plug) Non-adjustable tube enclosing light source Tubo fijo con fuente de luz 	<ul style="list-style-type: none"> 88 GREY STONE 89 PALE GREEN 96 ANTHRACITE
			EURO €
			391
			391
			391

		Other dimming options	
		TRIAC driver (remote) 671000061	EURO €
		DALI driver (remote) 671000092	39
			81

TIK

TIK_4097X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 60° / >90 CRI
 350mA) / 230V / Typ 725 lumens
 Non dimmable / Hard wired (no plug)
 Non-adjustable tube enclosing light source
 Tubo fijo con fuente de luz

FINISHES / ACABADOS
 88 GREY STONE
 89 PALE GREEN
 96 ANTHRACITE


EURO €
 395
 395
 395

Other dimming options
 TRIAC driver (remote) 671000061
 DALI driver (remote) 671000092

EURO €
 39
 81

TIK

TIK_4098X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 60° / >90 CRI
 350mA) / 230V / Typ 725 lumens
 Non dimmable / Hard wired (no plug)
 Non-adjustable tube enclosing light source
 Tubo fijo con fuente de luz

FINISHES / ACABADOS
 88 GREY STONE
 89 PALE GREEN
 96 ANTHRACITE


EURO €
 451
 451
 451

Other dimming options
 TRIAC driver (remote) 671000061
 DALI driver (remote) 671000092

EURO €
 39
 81

TIK

TIK_4099X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 60° / >90 CRI
 350mA) / 230V / Typ 725 lumens
 Non dimmable / Hard wired (no plug)
 Non-adjustable tube enclosing light source
 Tubo fijo con fuente de luz

FINISHES / ACABADOS
 88 GREY STONE
 89 PALE GREEN
 96 ANTHRACITE


EURO €
 475
 475
 475

Other dimming options
 TRIAC driver (remote) 671000061
 DALI driver (remote) 671000092

EURO €
 39
 81

VOLTA

VOL_3530



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 60° / >90 CRI / 350mA)
 100V - 240V / Non Dimmable

FINISHES / ACABADOS
 Body: 26 BLACK
 Head: 26 BLACK
 61 SATIN GOLD
 Body & Head: 74 WHITE
 Body & Head: 87 BRONZE

EURO €
 341
 341
 341
 358

A-3530-W (2700K Typ 725 lumens)
 A-3530-M (3000K Typ 763 lumens)

Other dimming options
 TRIAC driver (remote) 671000061
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €
 39
 97
 53



123530260 KIT A-3530
 Cord & plug with on/off switch. 1400mm cable length.
 Cable y enchufe con interruptor. 1400mm de longitud.

EURO €
 36


123530XX3 - OPTIONAL
 Embedded optic lens 30°
 Óptica encastrada 30°

FINISHES / ACABADOS
 26 BLACK
 61 SATIN GOLD
 74 WHITE
 87 BRONZE

EURO €
 28
 29
 28
 28

VOLTA

VOL_3531



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
 100V - 240V / Non Dimmable
 A-3531-W (2700K Typ 725 lumens)
 A-3531-M (3000K Typ 763 lumens)

FINISHES / ACABADOS

Body: 26 BLACK
 Head: 26 BLACK
 61 SATIN GOLD
 Body & Head: 74 WHITE
 Body & Head: 87 BRONZE

EURO €

381
 381
 381
 401

Other dimming options

TRIAC driver (remote) 671000061
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €

39
 97
 53

123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.
 Cable y enchufe con interruptor. 1400mm de longitud.

EURO €

36

123530XX3 - OPTIONAL

Embedded optic lens 30°
 Óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
 61 SATIN GOLD
 74 WHITE
 87 BRONZE

EURO €

28
 29
 28
 28

VOLTA

VOL_3533S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 30° / >90 CRI / 350mA)
 100V - 240V
 Driver included / Non Dimmable
 Additional 80° optic lens included

FINISHES / ACABADOS

26 BLACK

EURO €

230

VOL_3533S-W (2700K Typ 725 lumens)
 VOL_3533S-M (3000K Typ 763 lumens)


Other dimming options

TRIAC driver (remote) 671000061
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €

39
 97
 53

VOL_3533R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 30° / >90 CRI / 350mA)
 230V
 Remote driver included / Dimmable Triac
 Additional 80° optic lens included

FINISHES / ACABADOS

26 BLACK

EURO €

176

VOL_3533R-W (2700K Typ 725 lumens)
 VOL_3533R-M (3000K Typ 763 lumens)

Ø 55mm drill on dropped ceiling
 Orificio Ø 55mm en falso techo

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €

97
 53

VOLTA

VOL_3534S - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 6,2W (Ang. 60° / >90 CRI / 350mA) 100V - 240V / Driver included / Non dimmable	Canopy & Body: 26 BLACK	310
	Head: 26 BLACK	310
	61 SATIN GOLD	
T-3534S-W (2700K Typ 725 lumens) T-3534S-M (3000K Typ 763 lumens)	Canopy & Body & Head:	
	87 BRONZE	323

Other dimming options	EURO €
TRIAC driver (remote) 671000061	39
CASAMBI for TRIAC driver (remote) 671000003	97
DALI driver (remote) 671000099	53

123530XX3 - OPTIONAL	FINISHES / ACABADOS	EURO €
Embedded optic lens 30°	26 BLACK	28
Óptica encastrada 30°	61 SATIN GOLD	29
	87 BRONZE	28

VOL_3534R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V / Remote driver included / Dimmable Triac	Canopy: 26 BLACK	
	74 WHITE	
	Body: 26 BLACK	
	Head: 26 BLACK	298
	61 SATIN GOLD	298
T-3534R-W (2700K Typ 725 lumens) T-3534R-M (3000K Typ 763 lumens)	Canopy & Body & Head:	
	87 BRONZE	308


Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Other dimming options	EURO €
CASAMBI for TRIAC driver (remote) 671000003	97
DALI driver (remote) 671000099	53

123530XX3 - OPTIONAL	FINISHES / ACABADOS	EURO €
Embedded optic lens 30°	26 BLACK	28
Óptica encastrada 30°	61 SATIN GOLD	29
	87 BRONZE	28

VOLTA

VOL_L92S4S - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 4x6,2W (Ang. 60° / >90 CRI / 350mA) 230V / Driver included / Dimmable Triac	Canopy: 26 BLACK	
	74 WHITE	
	Body: 26 BLACK	
	Head: 26 BLACK	1168
	61 SATIN GOLD	1168
W (2700K Typ 4x725 lumens) M (3000K Typ 4x763 lumens)	Canopy & Body & Head:	
	87 BRONZE	1220

Other dimming options	EURO €
CASAMBI for TRIAC driver 671000003	97
DALI driver 2 units of 671000092	162

123530XX3 (x4) - OPTIONAL	FINISHES / ACABADOS	EURO €
4 units of embedded optic lens 30°	26 BLACK	112
4 unidades de la óptica encastrada 30°	61 SATIN GOLD	116
	87 BRONZE	112

VOLTA

VOL_3535S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

T-3535S-W (2700K Typ 2x725 lumens)
T-3535S-M (3000K Typ 2x763 lumens)

FINISHES / ACABADOS

Canopy & Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

Canopy & Body & Head:
87 BRONZE

EURO €

594
594

622

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000092

EURO €

97
81

123530XX3 (x2) - OPTIONAL


2 units of embedded optic lens 30°
2 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

56
58
56



VOL_3535R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac

T-3535R-W (2700K Typ 2x725 lumens)
T-3535R-M (3000K Typ 2x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €

594
594
617


Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo



VOLTA

VOL_3536S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

T-3536S-W (2700K Typ 3x725 lumens)
T-3536S-M (3000K Typ 3x763 lumens)

FINISHES / ACABADOS

Canopy & Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

Canopy & Body & Head:
87 BRONZE

EURO €

772
772

811

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000092

EURO €

97
81

123530XX3 (x3) - OPTIONAL


3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

84
87
84



VOL_3536R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac

T-3536R-W (2700K Typ 3x725 lumens)
T-3536R-M (3000K Typ 3x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €

772
772
806


Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo



VOLTA

VOL_L73S2D - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 4x725 lumens)
M (3000K Typ 4x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €

1213
1213
1271

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

97
162

123530XX3 (x4) - OPTIONAL

4 units of embedded optic lens 30°
4 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

112
116
112

VOLTA

VOL_L78S1D1T - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 5x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 5x725 lumens)
M (3000K Typ 5x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €

1391
1391
1460

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

97
162

123530XX3 (x5) - OPTIONAL

5 units of embedded optic lens 30°
5 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

140
145
140

VOLTA

VOL_L92S2T - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 6x725 lumens)
M (3000K Typ 6x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €

1569
1569
1649

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

97
162

123530XX3 (x6) - OPTIONAL


6 units of embedded optic lens 30°
6 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

168
174
168

VOLTA**VOL_L165S3D - WITH SURFACE CANOPY****FEATURES / CARACTERÍSTICAS**

* LED 6x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 6x725 lumens)
M (3000K Typ 6x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Monofinish: 87 BRONZE

EURO €

1832
1832
1920

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

97
243

123530XX3 (x6) - OPTIONAL


6 units of embedded optic lens 30°
6 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK or 87 BRONZE
61 SATIN GOLD

EURO €

168
174

VOLTA**VOL_L165S1T1D1T - WITH SURFACE CANOPY****FEATURES / CARACTERÍSTICAS**

* LED 8x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 8x725 lumens)
M (3000K Typ 8x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Monofinish: 87 BRONZE

EURO €

2188
2188
2298

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

97
243

123530XX3 (x8) - OPTIONAL


8 units of embedded optic lens 30°
8 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK or 87 BRONZE
61 SATIN GOLD

EURO €

224
232

VOLTA**VOL_L165S1D2T - WITH SURFACE CANOPY****FEATURES / CARACTERÍSTICAS**

* LED 8x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 8x725 lumens)
M (3000K Typ 8x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Monofinish: 87 BRONZE

EURO €

2188
2188
2298

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

97
243

123530XX3 (x8) - OPTIONAL


8 units of embedded optic lens 30°
8 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLACK or 87 BRONZE
61 SATIN GOLD

EURO €

224
232

VOLTA**VOL_L165S3D2T - WITH SURFACE CANOPY****FEATURES / CARACTERÍSTICAS**

* LED 12x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 12x725 lumens)
M (3000K Typ 12x763 lumens)

FINISHES / ACABADOS

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Monofinish: 87 BRONZE

EURO €

3162
3162
3318

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 5 units of 671000092

EURO €

97
405

123530XX3 (x12) - OPTIONAL

12 units of embedded optic lens 30°
12 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLACK or 87 BRONZE
61 SATIN GOLD

EURO €

336
348

VOLTA

VOL_R70S3D - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 6x6,2W (Ang. 60° / >90 CRI / 350mA) 230V / Driver included / Dimmable Triac	Canopy: 26 BLACK 74 WHITE	
W (2700K Typ 6x725 lumens)	Body: 26 BLACK	1940
M (3000K Typ 6x763 lumens)	Head: 26 BLACK 61 SATIN GOLD	1940
	Canopy & Body & Head: 87 BRONZE	2034

Other dimming options	EURO €
CASAMBI for TRIAC driver 671000003	97
DALI driver 3 units of 671000092	243

123530XX3 (x6) - OPTIONAL	FINISHES / ACABADOS	EURO €
6 units of embedded optic lens 30°	26 BLACK	168
6 unidades de la óptica encastrada 30°	61 SATIN GOLD	174
	87 BRONZE	168

VOLTA

VOL_R100S5D - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 10x6,2W (Ang. 60° / >90 CRI / 350mA) 230V / Driver included / Dimmable Triac	Canopy: 26 BLACK 74 WHITE	
W (2700K Typ 10x725 lumens)	Body: 26 BLACK	3217
M (3000K Typ 10x763 lumens)	Head: 26 BLACK 61 SATIN GOLD	3217
	Canopy & Body & Head: 87 BRONZE	3371

Other dimming options	EURO €
CASAMBI for TRIAC driver 671000003	97
DALI driver 5 units of 671000092	405

123530XX3 (x10) - OPTIONAL	FINISHES / ACABADOS	EURO €
10 units of embedded optic lens 30°	26 BLACK	280
10 unidades de la óptica encastrada 30°	61 SATIN GOLD	290
	87 BRONZE	280

VOLTA

VOL_3537




FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 6,2W (Ang. 60° / >90 CRI / 350mA) / 230V On/Off switch on the base	Body: 26 BLACK Head: 26 BLACK 61 SATIN GOLD	392 392
M-3537-W (2700K Typ 725 lumens)		
M-3537-M (3000K Typ 763 lumens)		

123530XX3 - OPTIONAL	FINISHES / ACABADOS	EURO €
Embedded optic lens 30°	26 BLACK	28
Óptica encastrada 30°	61 SATIN GOLD	29

VOLTA

VOL_3538



FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
* LED 6,2W (Ang. 60° / >90 CRI / 350mA) / 230V Push button dimmer on the head	Body: 26 BLACK Head: 26 BLACK 61 SATIN GOLD	513 513
p-3538-W (2700K Typ 725 lumens)	Body & Head: 87 BRONZE	539
p-3538-M (3000K Typ 763 lumens)		

123530XX3 - OPTIONAL	FINISHES / ACABADOS	EURO €
Embedded optic lens 30°	26 BLACK	28
Óptica encastrada 30°	61 SATIN GOLD	29

**GENERAL TERMS OF SALE
CONDICIONES GENERALES DE VENTA**

GENERAL TERMS OF SALE

1. Terms

Sales of our products are subject to present general conditions, which prevail over any other terms of purchase, unless there is a formal written agreement between Estiluz and the client.

2. Prices

All prices published in the Price List are recommended retail prices without taxes. Bulbs are not included with the exception of the items marked accordingly.

3. Project Registration

For the protection of our distributors and agents, all projects should be registered with our Estiluz office.

4. Discounts

The standard discount granted to a distributor does not apply in case of projects registered by another distributor or agent. The distributor shall contact Estiluz to inquiry about these projects and ask for pricing

5. Special Orders

All orders including non-standard products must be pre-paid at the confirmation of the order.

6. Terms

All past due invoices are subject to interest penalties at current legal rates.

7. Transportation

- Spain and Portugal (Peninsula and Balears):
Freight allowed on all orders equal or above 500€ net before taxes when the goods are shipped to the dealer or its client, provided the recipient is not a private addresses and the shipment is made in a single delivery. For orders under 500€ net, a fee of 15€ will be charged.

- Canarias, Formentera, Ceuta, Melilla, Madeira, Azores and delivery to private addresses:
Shipping costs will be calculated individually.

- International:
Freight due on all orders (FCA Barcelona or EXW). Estiluz will not be responsible for any damages that may occur during transit.

8. Order confirmations and cancellations

Orders must be sent in writing, either by mail, email or fax. Estiluz is not responsible for any mistakes on orders that have not been received in writing.

Orders will not be cancelled unless we receive notice from customer prior to shipment. Special orders cannot be cancelled.

9. Claims and returns

Estiluz will only accept claims filed within 15 days after shipment of merchandise.

Returned merchandise will not be accepted unless prior arrangements have been made with our Customer Service department. Handling and Repair fees will apply if the product is not received in perfect conditions and its original packaging.

All returns due to reasons for which Estiluz cannot be held responsible, will be charged 20% restocking fee and original freight.

10. Delivery

If the merchandise received is not in good condition or does not match the packing slip, it should be noted on the packing slip prior to signature. Estiluz should also receive a written notice in the following three days.

11. Property Rights

The merchandise will remain property of Estiluz until it is paid in full. Estiluz reserves the right to retrieve all unpaid goods without advanced notice.

If that is case, the client is responsible for all costs involved with the return and assume the risk of damage.

12. Warranty

Our manufactured products (except for bulbs) are guaranteed against any manufacturing defects for two years from date of delivery. The warranty is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto. This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

13. Modifications

Estiluz reserves the right to modify and/or discontinue any products illustrated in this Price list.

14. Disputes

Any disputes are subject to arbitration in equity in Barcelona, according to the Spanish law.

CONDICIONES GENERALES DE VENTA

1. Validez

Las ventas de nuestros productos están sujetas a las presentes condiciones generales, que prevalecen sobre cualquier otra condición de compra, a menos que exista un pacto formal escrito entre Estiluz y su cliente.

2. Precios

Los precios estipulados en esta tarifa son precios recomendados de venta al público y no incluyen impuestos. Bombillas no incluidas excepto en los productos en los que así se indica.

3. Registro de proyectos

Para garantizar la protección del trabajo realizado por distribuidores y agentes, todos los proyectos deben ser registrados en nuestras oficinas.

4. Descuentos comerciales

El descuento habitual de un distribuidor puede no aplicarse en caso de proyectos registrados por otro distribuidor o representante. El distribuidor deberá ponerse en contacto con Estiluz para obtener el precio neto de estos proyectos.

5. Pedidos especiales

Los pedidos con modificaciones del producto estándar deberán ser abonados en el momento de formalizar el pedido.

6. Pagos

La penalización por retraso en el pago aplicará la tasa de interés legal en vigor.

7. Transporte

- España y Portugal (Península y Baleares):

Estiluz se hará cargo de los portes en todos los pedidos con un valor igual o superior a 500€ netos sin impuestos, siempre que el destino final sea el del distribuidor o el de su cliente (excluidos los particulares) y se realicen en un único envío. Para pedidos inferiores a 500€ netos, se facturará un importe de 15€.

- Canarias, Formentera, Ceuta, Melilla, Madeira, Azores y entregas a particulares:

El coste se calculará para cada pedido.

- Internacional:

Todos los pedidos serán a portes debidos (FCA Barcelona o EXW Factory). Estiluz no se hace responsable de las incidencias que pudieran ocurrir durante el transporte.

8. Formalización de pedidos y anulación

Los pedidos deben ser formalizados por escrito, ya sea por correo, email o fax. Estiluz no se hará responsable de ningún error producido en pedidos que no hayan sido formalizados por escrito.

No consideramos anulado ningún pedido sin previo aviso por parte de nuestros clientes, anterior a la salida de la mercancía de nuestras instalaciones. Los pedidos de productos especiales y modificaciones no se pueden anular.

9. Reclamaciones i devoluciones

Se atenderán las que se reciban por escrito, en un período de 15 días des de la entrega de la mercancía.

No se admiten devoluciones sin nuestra autorización previa, reservándonos el derecho de rechazarlas si nos llegan a portes debidos y con embalaje insuficiente. Si el producto no está en perfectas condiciones, nos reservamos el derecho de facturar los gastos de gestión y reparación.

Aquellas devoluciones sin causa justificada o por motivos ajenos a Estiluz recibirán un recargo de gestión del 20%. Portes a cargo del cliente.

10. Entrega

Si la mercancía no llega al cliente en buenas condiciones o no coincide con el albarán de entrega, se deberá hacer constar en el albarán del transportista en el momento de la firma e informar a Estiluz en el transcurso máximo de los tres días siguientes mediante correo, email o fax.

11. Cláusula de reserva de la propiedad

La mercancía permanece propiedad de Estiluz hasta que haya sido pagada íntegramente. La negativa de pago puede derivar en la solicitud de devolución de los bienes por parte de la empresa.

En este caso, el comprador asumirá todos los costes y riesgos derivados del envío.

12. Garantía

Nuestros productos (excepto bombillas) tienen una garantía de dos años desde la fecha de entrega al cliente, ante cualquier defecto o error de funcionamiento, siempre y cuando se les haya dado un uso apropiado y se hayan respetado las condiciones de utilización marcadas en el aparato.

13. Modificaciones

Estiluz se reserva el derecho de modificar y/o anular los modelos de la presente tarifa.

14. Disputas

En caso de litigio, ambas partes se someterán a la jurisdicción de los tribunales de Barcelona.

ESTILUZ (Headquarters) / Carretera d'Ogassa s/n
E- 17860 St Joan de les Abadesses (Girona) Spain
T +34 972 720 125
estiluz@estiluz.com

www.estiluz.com

estiluz[®]